



Inspection Report

JACOB LAPP
12547 MADDEN ROAD
BELMONT, WI 53510

Customer ID: **329797**
Certificate: **35-A-0361**
Site: 001
JACOB LAPP

Type: ROUTINE INSPECTION
Date: 13-JAN-2022

3.31(a)(1)

Sanitation.

About 45 enclosures (most which housed weanlings) had excessive buildup of dry fecal pellets on the far end. The licensee said it has been 2-3 weeks since these enclosures were cleaned out. Also, about 25 enclosures had areas that were excessively wet and soiled under and around the drinker valve and drainage grate. Primary enclosures must be cleaned and sanitized at least every 2 weeks but more often if soiled to prevent buildups of waste. More frequent cleaning is important to prevent harmful waste buildups that can be bad for guinea pig health. Ensure that cleaning and sanitizing of each enclosure is completed at least every 2 weeks or more often to prevent buildups of waste and soiled material.

Correct by 1/15/2022.

This inspection and exit interview were conducted with a facility representative.

Prepared By: SCOTT WELCH
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
13-JAN-2022

Received by Title: Facility Representative

Date:
13-JAN-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
329797	35-A-0361	001	JACOB LAPP	13-JAN-2022

Count	Scientific Name	Common Name
003460	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
003460	Total	