



Inspection Report

William Meadows
963 County St 2930
Tuttle, OK 73089

Customer ID: **5978**
Certificate: **73-C-0122**
Site: 001
WILLIAM MEADOWS

Type: ROUTINE INSPECTION
Date: 09-AUG-2016

3.125(a) REPEAT

FACILITIES, GENERAL.

- The large shelter in the leopard enclosure has rotten wood planks in two spots. The small shelter has a rotten wood roof plank, and another area of rotten wood on the side. These areas need to be repaired or replaced.
- The lower wooden resting platform in the lioness enclosure is sagging in the middle. This needs to be braced or replaced to ensure it does not break.
- One porcupine nest box has a broken side panel on the inside of the shelter.

All facility structures must be maintained in good repair.

3.127(d) REPEAT

FACILITIES, OUTDOOR.

- Behind the food storage area, the perimeter fence has several fallen trees draped across the top of the fence. This section of the perimeter fence is not stable and secure. The weight of the fallen trees could cause the fence to buckle and break. The trees also provide a means for animals and unauthorized personnel to enter and exit the facility. These trees must be removed, and the fence repaired as needed. This area is also heavily overgrown with vegetation, preventing easy access to the fence itself. This makes it very difficult for park employees to evaluate and maintain this corner of the fence. Trees and brush along the perimeter fence need to be maintained to ensure they do not compromise the fence in any way.

3.130 DIRECT

WATERING.

- At approximately 1030 in the morning of 9 August, there was no drinking water available in the white tiger enclosure housing three tigers. There was a small amount of water in the tigers play tub, but this water was dirty and not suitable for drinking. When the automatic waterer was turned on, two tigers pushed each other to try and reach the water. Both drank continuously for several minutes. Twenty minutes after the water was turned on, one

Prepared By: MICHAEL TYGART, D V M USDA, APHIS, Animal Care

Date:
11-AUG-2016

Title: SUPERVISORY ANIMAL CARE SPECIALIST 6009

Received by Title: OWNER

Date:
12-AUG-2016



Inspection Report

tiger was noted still drinking at the water bowl. Discussion with the facility determined that the water supply had accidentally been turned off the night before. Ambient temperature in this area the morning of 9 August was in the mid-80's F. Lack of drinking water in a hot, humid climate puts animals in severe risk of dehydration and over-heating. The behavior of the enclosed tigers indicates that the lack of water overnight was at the least a source of stress. All animals must be supplied with clean, fresh drinking water as needed. Hot, humid conditions increases the frequency at which drinking water must be offered. The facility plans to take steps to ensure this event is not repeated. They plan to connect a separate water line to the tigers' automatic waterer to prevent the line from being accidentally closed in the future.

Corrected on the spot.

3.131

SANITATION.

There are widespread pest control issues throughout the facility.

- The llama in the petting zoo had a heavy infestation of flies centered around his face and head.
- Several enclosures, including the petting zoo and the white tiger enclosure, contained ant hills with large, red ants. Ants in close proximity to the animals could result in injury or irritation to the animals.
- Boards and metal pipes are stored loosely on the ground behind the back row of enclosures. This is potential harborage for pests, and should be cleared away. Building material must be properly stored and situated well away from animal feed/enclosures.

A safe and effective pest control program must be instituted to address these concerns.

Correct by: 17 August 2016

Inspection and exit interview conducted by Michael Tygart (VMO), David Sabala (SACS), Christine Jones, and facility personnel.

Additional Inspectors

Jones Christine, Chief Of Staff

Sabala David, Supervisory Animal Care Specialist

Prepared By: MICHAEL TYGART, D V M USDA, APHIS, Animal Care

Date:
11-AUG-2016

Title: SUPERVISORY ANIMAL CARE SPECIALIST 6009

Received by Title: OWNER

Date:
12-AUG-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5978	73-C-0122	001	WILLIAM MEADOWS	09-AUG-16

Count	Scientific Name	Common Name
000001	<i>Amblonyx cinereus</i>	ORIENTAL SMALL-CLAWED OTTER
000001	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG
000001	<i>C. pygerythrus</i>	VERVET
000001	<i>Camelus bactrianus</i>	BACTRIAN CAMEL
000001	<i>Caracal</i>	CARAVAL
000001	<i>Cebus capucinus</i>	WHITE-HEADED / WHITE-THROATED CAPUCHIN
000001	<i>Chinchilla lanigera</i>	CHINCHILLA
000001	<i>Crocuta crocuta</i>	SPOTTED HYENA
000009	<i>Dama dama</i>	FALLOW DEER
000001	<i>Equus asinus asinus</i>	DONKEY / BURRO / ASS
000001	<i>Felis silvestris catus</i>	CAT ADULT
000002	<i>Hylobates agilis</i>	AGILE GIBBON
000002	<i>Hystrix africaeaustralis</i>	CAPE PORCUPINE
000001	<i>Lama pacos</i>	ALPACA
000009	<i>Lemur catta</i>	RING-TAILED LEMUR
000002	<i>Leptailurus serval</i>	SERVAL
000001	<i>Lynx canadensis</i>	CANADIAN LYNX
000001	<i>Lynx rufus</i>	BOBCAT
000003	<i>Muscardinus avellanarius</i>	HAZEL DORMOUSE
000001	<i>Nasua nasua</i>	BROWN-NOSED COATI
000001	<i>Nasua olivacea</i>	MOUNTAIN COATI
000002	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000004	<i>Osphranter rufus</i>	RED KANGAROO
000002	<i>Panthera leo</i>	LION
000002	<i>Panthera pardus</i>	LEOPARD
000006	<i>Panthera tigris</i>	TIGER
000001	<i>Potos flavus</i>	KINKAJOU
000001	<i>Puma concolor</i>	PUMA / MOUNTAIN LION / COUGAR
000001	<i>Saimiri boliviensis</i>	BLACK-CAPPED SQUIRREL MONKEY
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000001	<i>Ursus americanus</i>	NORTH AMERICAN BLACK BEAR
000001	<i>Ursus arctos</i>	BROWN BEAR
000002	<i>Varecia variegata</i>	BLACK-AND-WHITE RUFFED LEMUR
000003	<i>Vulpes zerda</i>	FENNEC FOX
000069	Total	