



## Inspection Report

---

UNIVERSITY OF MARYLAND BALTIMORE  
10 S PINE ST. RM G-100, MSTF BLDG  
BALTIMORE, MD 21201

Customer ID: 89

Certificate: 51-R-0018

Site: 001

VETERINARY RESOURCES

Type: ROUTINE INSPECTION

Date: 04-AUG-2021

---

### 2.31(d)(4)

#### Institutional Animal Care and Use Committee (IACUC).

On August 24, 2020, laboratory investigators performed two procedures, chest drain placement and metal plate removal that were not approved in writing by the IACUC. The Principal Investigator submitted an amendment to the IACUC to add these procedures to the IACUC approved protocol. The Principal Investigator had not received approval in writing from the IACUC prior to performing the procedures. The amendment was approved for the two procedures by the IACUC on August 25, 2020.

Under the same protocol, two laboratory personnel participated in animal procedures that were not approved to do so by the IACUC. They were approved by the IACUC to perform animal procedures under different protocols managed by the laboratory. The Principal Investigator submitted an amendment to add the two laboratory personnel on October 4, 2020. The IACUC approved the amendment on October 5, 2020.

The IACUC shall notify principal investigators and the research facility in writing of its decision to approve or withhold approval of activities related to the care and use of animals.

---

Prepared By: JESSICA GOWINS

USDA, APHIS, Animal Care

Date:

05-AUG-2021

Title: VETERINARY MEDICAL  
OFFICER

Received by Title: IACUC Representative

Date:

05-AUG-2021



## Inspection Report

---

This was corrected by the facility through a corrective action plan and the approval amendments to the protocol by the IACUC.

### 3.83 Critical

#### Watering.

On December 30, 2019 a macaque was found by an animal caretaker recumbent on the floor of its enclosure. The animal caretaker immediately notified the veterinary care staff, who evaluated the macaque and determined it was dehydrated and started treatment. The macaque died while under veterinary care on January 1, 2020. This incident was not reported to the IACUC until September 18, 2020 through anonymous reporting system. The IACUC conducted an investigation and determined that the animal caretaker did not check the lixit for at least two days. The results of the IACUC investigation revealed that the lixit was malfunctioning and the animal did not have water available for two days. The facility must ensure that potable water is provided in sufficient quantity to every non-human primate housed for their health and well-being.

This was corrected by the facility by retraining all animal care staff, re-assignment of animal care responsibilities, inspection of the watering systems, and adding water bottles on cages.

This inspection and exit interview were conducted with facility representatives.

This inspection was conduct on 08/04/2021 to 08/05/2021.

---

**Prepared By:** JESSICA GOWINS  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
05-AUG-2021

**Received by Title:** IACUC Representative

**Date:**  
05-AUG-2021



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
89	51-R-0018	001	VETERINARY RESOURCES	04-AUG-2021

Count	Scientific Name	Common Name
000189	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000002	<i>Macaca fascicularis</i>	CRAB-EATING MACAQUE /
000023	<i>Macaca mulatta</i>	CYNOMOLGUS MONKEY
000020	<i>Sus scrofa domestica</i>	RHESUS MACAQUE
000057	<i>Papio anubis</i>	DOMESTIC PIG / POTBELLY PIG /
000025	<i>Mustela putorius furo</i>	MICRO PIG
000025	<i>Oryctolagus cuniculus</i>	OLIVE BABOON
000002	<i>Ovis aries aries</i>	DOMESTIC FERRET
000343	<b>Total</b>	DOMESTIC RABBIT / EUROPEAN RABBIT SHEEP INCLUDING ALL DOMESTIC BREEDS