



## Inspection Report

Dots Little Doggies Inc.  
3754 E. 245th St.  
Lyndon, KS 66451

Customer ID: **25384**

Certificate: **48-A-1755**

Site: 001

DOT'S LITTLE DOGGIES, INC.

Type: ROUTINE INSPECTION

Date: 25-JUN-2015

### 2.40(b)(2) REPEAT

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

\* There were six 16 oz. bottles of Giardicox fluid that had no expiration date recorded on the label. The dispense date of 4/23/15 had been recorded on the label. The medications were intermingled with other products that are currently being used at the facility and are therefore ready for use. Medications must be labeled with appropriate and accurate information to ensure that the contents and dosage rates of the container can be known with certainty and not used past their expiration date. If the expiration date is unknown, the effectiveness of the dosage level and expected results when expired drugs are administered could be drastically changed or may not work as anticipated. The licensee must ensure that all medications are labeled with an expiration date.

### 2.75(a)(1)

#### RECORDS: DEALERS AND EXHIBITORS.

\* There was no record of inventory present on (unweaned) puppies born at the facility. No inventory information was attached to 12 enclosures containing 54 (unweaned) puppies. In addition, the cage card information on 12 enclosures containing 44 (unweaned ) puppies did not have puppy identification, breed or the sex. Complete and accurate records are needed to ensure each animal's identity can be known with certainty and to facilitate the ability to trace all puppies. The licensee must maintain complete and accurate records of all puppies at their facility. Correct by 7/2/15.

### 3.1(c)(1)(1) REPEAT

#### HOUSING FACILITIES, GENERAL.

\* The metal edging surrounding the entryway to five enclosures is corroded and showing excessive rust. In addition, 21 wire enclosure gates are showing surface rust. In addition, eight galvanized divider panels are corroded and showing excessive rust. Forty eight dogs are in contact with the affected areas located in outdoor and indoor housing. The surfaces were rough in appearance. Rust can erode and deteriorate all metal surfaces to the point that the metal surfaces can no longer be readily cleaned and sanitized. In addition, excessive rust affects the structural integrity of all metal surfaces. Licensee must ensure that all metal surfaces are free of excessive rust. The licensee moved at least eight dogs to different enclosures during the inspection.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:  
25-JUN-2015

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: OWNER

Date:  
25-JUN-2015



## Inspection Report

---

**3.1(c)(1)(2) REPEAT**

**HOUSING FACILITIES, GENERAL.**

\* The divider panel in one enclosure has broken, protruding wires with sharp points. One dog is in contact with the affected wiring located in sheltered housing. Sharp points could injure the dogs. The licensee must ensure that all enclosure wires be free of sharp points that might injure the animals. The licensee moved the dog to a different enclosure during the inspection to correct this NCI.

\* The facility inspection and exit briefing were conducted with the licensee, Kendall Lundy ACI and Robert Bacon ACI.

**Additional Inspectors**

Lundy Kendall, Animal Care Inspector

---

**Prepared By:** ROBERT BACON, A C I     USDA, APHIS, Animal Care

**Date:**  
25-JUN-2015

**Title:** ANIMAL CARE INSPECTOR 4001

**Received by Title:** OWNER

**Date:**  
25-JUN-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
25384	48-A-1755	001	DOT'S LITTLE DOGGIES, INC.	25-JUN-15

Count	Scientific Name	Common Name
000184	<i>Canis lupus familiaris</i>	DOG ADULT
000098	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000282</b>	<b>Total</b>	