



Inspection Report

Kindness Ranch
854 State Highway 270
Hartville, WY 82215

Customer ID: **321630**
Certificate: **83-C-0006**
Site: 001
Kindness Ranch

Type: ROUTINE INSPECTION
Date: 24-JUL-2019

3.130

WATERING.

The water receptacles in the pig enclosures are not clean and sanitary. There is a thick buildup of dirt, mud, and grime on the bottom of the receptacles. Dirty water receptacles can be a source of pathogens and toxins that could cause the pigs to become ill. All water receptacles shall be kept clean and sanitary at all times.

CORRECT BY: Immediately

This inspection and exit interview were conducted with facility representatives.

Prepared By: SNOW WILLIAM, D V M USDA, APHIS, Animal Care

Date:
24-JUL-2019

Title: SUPERVISORY PROGRAM SPECIALIST 6125

Received by Title: FACILITY REPRESENTATIVE

Date:
24-JUL-2019



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|----------------|------------|
| 321630 | 83-C-0006 | 001 | Kindness Ranch | 24-JUL-19 |

| Count | Scientific Name | Common Name |
|---------------|-------------------------------|---|
| 000003 | <i>Bos taurus</i> | CATTLE / COW / OX / WATUSI |
| 000004 | <i>Canis lupus familiaris</i> | DOG ADULT |
| 000001 | <i>Capra hircus</i> | DOMESTIC GOAT |
| 000045 | <i>Felis silvestris catus</i> | CAT ADULT |
| 000003 | <i>Ovis aries aries</i> | SHEEP INCLUDING ALL DOMESTIC BREEDS |
| 000007 | <i>Sus scrofa domestica</i> | DOMESTIC PIG / POTBELLY PIG / MICRO PIG |
| 000063 | Total | |