United States Department of Agriculture Animal and Plant Health Inspection Service

2016082569284351 Insp_id

Inspection Report

Mercersburg Sportsmens Assoc Inc

12143 Dickeys Road

Mercersburg, PA 17236

Customer ID: 2231

Certificate: 23-C-0362

Site: 001

MERCERSBURG SPORTSMENS ASSOC INC

Type: ROUTINE INSPECTION

Date: 18-SEP-2018

3.125(a)

FACILITIES, GENERAL.

The entry gate into the female white-tailed deer enclosure has gaps between the gate and the fence posts. The gaps are located on both sides of the gate and measure approximately 4-5 inches wide. The gaps are large enough to potentially allow unauthorized animals into the enclosure.

Repair or replace this area of the enclosure.

To be corrected: 10-2-18

This inspection and exit interview were conducted with the facility representative.

Prepared By: MOORE CHAD, A C I USDA, APHIS, Animal Care Date

Title: ANIMAL CARE INSPECTOR 1046

26-SEP-2018

Page 1 of 1

Date: 25-SEP-2018



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 2231
Inspection Date: 18-SEP-18

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2231	23-C-0362	001	MERCERSBURG SPORTSMENS ASSOC INC	18-SEP-18

CountScientific NameCommon Name000006Odocoileus virginianusWHITE-TAILED DEER

000006 Total