



Inspection Report

Eli S King
15710 Co Hwy F
Darlington, WI 53530

Customer ID: **321615**
Certificate: **35-A-0339**
Site: 001
ELI KING

Type: ROUTINE INSPECTION
Date: 31-JAN-2014

3.30 REPEAT

WATERING.

All watering receptacles shall be sanitized when dirty.

Almost all water bottles were clean and a new water system has been installed, however 4 water bottles had a dark layer of algae on the inside. Water bottles must be sanitized when dirty. Water bottles must be cleaned at least every two weeks or as often as needed to maintain them clean. Dirty water bottles can cause many animals to get sick and doesn't provide for their well-being.

Clean water bottles as a routine practice, minimally every 2 weeks but more often if they are dirty.

Inspection and exit interview conducted with facility representative.

Additional Inspectors

Cox Brenton, Animal Care Inspector

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care

Date:
31-JAN-2014

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: OWNER

Date:
31-JAN-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
321615	35-A-0339	001	ELI KING	31-JAN-14

Count	Scientific Name	Common Name
000283	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000283	Total	