



Inspection Report

Thomas Sears
1550 Stone Rd
Xenia, OH 45385

Customer ID: **11624**
Certificate: **31-C-0154**
Site: TRA
THOMAS SEARS

Type: ROUTINE INSPECTION
Date: 11-MAY-2015

3.127(b)

FACILITIES, OUTDOOR.

The wood shelter for inclement weather is not large enough for all three camels. The shelter needs to be large enough to protect all 3 camels at once during the winter months and rainy weather. Shelter shall be provided for all animals kept outdoors to afford them protection and to prevent discomfort to such animals.

These camels will leaving this facility this week and will be back to this location next year. This shelter for inclement weather needs to be in compliance prior to housing these camels next winter.

Exit interview was conducted with the care taker and licensee.

This inspection was conducted at the Naples Zoo, Naples, Florida.

Prepared By: RICHARD BOTELHO, JR, A C I USDA, APHIS, Animal Care

Date:
15-MAY-2015

Title: ANIMAL CARE INSPECTOR 2030

Received by Title: _____

Date:
15-MAY-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
11624	31-C-0154	TRA	THOMAS SEARS	11-MAY-15

Count	Scientific Name	Common Name
000003	<i>Camelus dromedarius domestic</i>	DOMESTIC DROMEDARY CAMEL
000003	Total	