



Inspection Report

V M R D Inc.
P. O. Box 502
Pullman, WA 99163

Customer ID: **1028**

Certificate: **91-R-0030**

Site: 001

VMRD, INC.

Type: ROUTINE INSPECTION

Date: 15-MAY-2014

3.125(a)

FACILITIES, GENERAL.

A gate in the enclosure housing three large pigs has been damaged so that sharp points of wire ends project into the enclosure. The gate appears to be too light of construction for the large pigs in the enclosure.

These sharp ends pose a risk of injury to the animals in the enclosure. Pigs are hard on facilities, and require frequent inspection to ensure hazards are addressed quickly.

Correct by May 31, 2014. The facility representative said that the gate will be replaced within a week or two.

The inspection and exit briefing were conducted with a facility representative.

Prepared By: GWYNN HALLBERG, D V M USDA, APHIS, Animal Care

Date:
16-MAY-2014

Title: VETERINARY MEDICAL OFFICER 5036

Received by Title: FACILITY REPRESENTATIVE

Date:
16-MAY-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1028	91-R-0030	001	VMRD, INC.	15-MAY-14

Count	Scientific Name	Common Name
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000002	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Equus caballus</i>	DOMESTIC HORSE
000004	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000003	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000012	Total	