

United States Department of Agriculture Animal and Plant Health Inspection Service

27161230460780 Insp_id

Inspection Report

Cindy Blasius 830 Oakdale Dr

Oklahoma City, OK 73127

Customer ID: 5484

Certificate: 73-A-1236

Site: 001
CINDY BLASIUS

Type: ROUTINE INSPECTION

Date: 27-JAN-2016

3.27(b)

FACILITIES, OUTDOOR.

- The licensee has a variance dated December 9, 1994 allowing the guinea pigs to be housed outside as long as four criteria are met. At the time of the inspection 2 of the 4 criteria were not met.

The variance states "Your request to house guinea pigs outside is approved, provided the following criteria are met.:

- 1. The permissible temperature range for guinea pigs is 45 degree F to 85 degree F.
- 2. The animals must be acclimatized to whatever temperatures they will be encountering.
- 3. The facility must have a means to monitor and record the temperatures in the animals area.
- 4. Written procedures must delineate what shelter or care is available when the ambient temperature exceeds the permissible range; for example, ventilation and/or shade in hot weather, or shelter and/or bedding in cold weather."

The guinea pigs are housed outside in concrete rabbit hutch type enclosures under a metal carport type structure. The nest box area is divided in half and hay bedding was present in the nest box. All 3 guinea pigs were present in the same half of the nest box and the temperature in that side of the nest box was above 45 degree F. There was no thermometer or means of measuring and recording temperatures in the animals area nor was there any written procedures present to mitigate temperatures on either side of the allowable temperature range.

The licensee must meet all four requirements of the variance to be in compliance with the AWA.

To be corrected by: January 29, 2016

Inspection and exit interview conducted with facility representative and USDA APHIS AC VMO.

Prepared By: DEBBIE CUNNINGHAM, D V M USDA, APHIS, Animal Care Date:

Title: VETERINARY MEDICAL OFFICER 6072

Received by Title: LICENSEE Date: 28-JAN-2016

Page 1 of 1

28-JAN-2016



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 5484 Inspection Date: 27-JAN-16

Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|---------------|------------|
| 5484 | 73-A-1236 | 001 | CINDY BLASIUS | 27-JAN-16 |
| | | | | |

CountScientific NameCommon Name000003Cavia porcellusDOMESTIC GUINEA PIG

000003 Total