



Inspection Report

Bobby Owens
740 E Blackjack Rd
Atoka, OK 74525

Customer ID: **24305**

Certificate: **73-A-2011**

Site: 001

BOBBY OWENS

Type: ROUTINE INSPECTION

Date: 27-JAN-2016

3.4(b)

OUTDOOR HOUSING FACILITIES.

At time of inspection one large dog house housing two dogs has one side completely gone. Dog houses with holes do not provide adequate shelter from the direct effects of the winds, rain or snow blowing on the dogs. The dogs could experience difficulty conserving body heat. Failure to cover holes in outside dog housing does not restrict air flow from entering the enclosure causing further discomfort for the dogs. Covering all holes is necessary to ensure the health & well-being of all dogs. To be corrected by 02-10-15.

An exit interview was conducted by Cathy Niebruegge, ACI and facility representative.

Prepared By: CATHY NIEBRUEGGE, A C I USDA, APHIS, Animal Care

Date:
29-JAN-2016

Title: ANIMAL CARE INSPECTOR 4031

Received by Title: 7007 1490 0004 7066 2393

Date:
29-JAN-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
24305	73-A-2011	001	BOBBY OWENS	27-JAN-16

Count	Scientific Name	Common Name
000020	<i>Canis lupus familiaris</i>	DOG ADULT
000008	<i>Canis lupus familiaris</i>	DOG PUPPY
000028	Total	