



## Inspection Report

Arlene Swartzentruber  
Arlyn Swartzentruber  
15302 Hwy Ee  
Hughesville, MO 65334

Customer ID: **502069**  
Certificate: **43-A-6219**

Site: 002

ARLENE AND ARLYN SWARTZENTRUBER

Type: ROUTINE INSPECTION

Date: 24-SEP-2019

### 3.11(b)(2)

#### CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

There were a couple of water receptacles heavily lined with a dark green material. The water inside of the receptacles appeared clear. This build-up of material inside of the water bowls can increase the risk of disease hazards. The licensee must ensure that water receptacles are kept clean and sanitized at least once every 2 weeks or more often if necessary to prevent an accumulation of dirt, debris and other disease hazards. To be corrected by: October 1, 2019

### 3.11(d)

#### CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

There was at least one dog at the facility that was observed with several fleas crawling throughout the dog's fur. The dog was also observed scratching. According to facility records, the last use of a product to control fleas was in April. Fleas increase the risk of diseases in the dogs and can cause discomfort to the dogs. The licensee must establish and maintain a safe and effective program of pest control so as to promote the health and well-being of the animals at all times. To be corrected by: October 1, 2019.

This inspection and exit interview were conducted with the licensee.

Prepared By: LEISNER ERIKA, D V M USDA, APHIS, Animal Care

Date:  
24-SEP-2019

Title: VETERINARY MEDICAL OFFICER 6037

Received by Title: LICENSEE

Date:  
24-SEP-2019



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502069	43-A-6219	002	ARLENE AND ARLYN SWARTZENTRUBER	24-SEP-19

Count	Scientific Name	Common Name
000016	<i>Canis lupus familiaris</i>	DOG ADULT
000011	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000027</b>	<b>Total</b>	