



Inspection Report

Karl Brantley
26214 Pollard Rd
Daphne, AL 36526

Customer ID: **15456**
Certificate: **64-C-0156**
Site: 001
BRANTLEY FARMS

Type: ROUTINE INSPECTION
Date: 01-MAR-2016

2.40(a)(1)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

** The program of veterinary care has not been updated with a signature by the veterinarian stating that there is a veterinarian employed to provide veterinary care to the animals exhibited. The program needs to be updated to ensure the animals have an attending veterinarian to provide adequate care to the animals. Correct by March 15, 2016

3.50(a) REPEAT

FACILITIES, GENERAL.

** During the inspection it was noticed that a white and black rabbit and a tan rabbit were outside of their primary enclosure. Since the rabbits are not being contained in a primary enclosure there is no way to protect them from unwanted animals or to prevent them from ingesting something that could cause an illness. Outdoor housing facilities for rabbits shall be maintained to contain the animals.

3.125(a) REPEAT

FACILITIES, GENERAL.

** On the north side of the goats primary enclosure there is a strand of wire running along the fence line. On the small catch pen inside the goats primary enclosure there is a rope of barbed wire hanging from the fencing. Also on the east side of the goats primary enclosure towards the small catch pen there are point ends of the fencing hanging with in the fencing. These are of the fencing could be injurious to the animals and needs to be repaired and/or removed.

**In the primary enclosure containing the goats there were several strands of hay bale twine. The twine should be removed to prevent the animals from possible ingestion or becoming entangled in it.

3.130 REPEAT

WATERING.

** The water in the goats primary enclosure was murky and dirty. The receptacle also needs to be cleaned. If

Prepared By: ANNETTE CHAPMAN, D V M USDA, APHIS, Animal Care

Date:
01-MAR-2016

Title: VETERINARY MEDICAL OFFICER 6048

Received by Title: OWNER

Date:
01-MAR-2016



Inspection Report

potable water is not accessible to the animals at all times, it must be provided as often as necessary for the health and comfort of the animals. All water receptacles shall be kept clean and sanitary.

The inspection and exit interview was conducted with the owner.

Prepared By: ANNETTE CHAPMAN, D V M USDA, APHIS, Animal Care

Date:
01-MAR-2016

Title: VETERINARY MEDICAL OFFICER 6048

Received by Title: OWNER

Date:
01-MAR-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
15456	64-C-0156	001	BRANTLEY FARMS	01-MAR-16

Count	Scientific Name	Common Name
000006	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Lama glama</i>	LLAMA
000004	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000014	Total	