

United States Department of Agriculture Animal and Plant Health Inspection Service

2016082569342744 Insp_id

Inspection Report

Michael L. Potts 402 N 12th Street

Saint Francisville, IL 62460

Customer ID: 333931

Certificate: 33-C-0490

Site: 001
Michael Potts

Type: ROUTINE INSPECTION

Date: 06-DEC-2018

3.1(a)(1)

HOUSING FACILITIES, GENERAL.

There are two outdoor enclosures that house two hybrid wolves that have multiple areas around the perimeter of the fencing that has been dug out, exposing the 4x4 inch fencing. There are four (2 in each pen) areas approximately 3-5ft long and 2-3ft wide with exposed fencing, with holes dug out beneath the 4x4 squares that are at least 1 ft deep.

As the regulated animals run around the perimeter of the fence they are continually having to jump over or maneuver over the open holes of the fencing to avoid having a foot drop down through the fencing into a deep hole. These holes present a health risk to the animals as long as the holes are not filled in. They risk stepping through and getting a broken leg, or catching themselves on the corners of the fencing, or possibly digging under the fence and exiting the enclosure.

All exposed fencing and holes in the ground around the perimeter of the enclosure should be filled in and covered in a manner that protects the dogs from injury, and prevents them from digging out of the enclosure through tunneling under the fencing.

To be corrected by: January 30, 2019

3.4(b)

OUTDOOR HOUSING FACILITIES.

There is not an adequate shelter provided for the hybrid in Pen#3. While there is a corner wooden platform structure for shade, there is not a shelter with a bottom, 4 sides and a top that would provide shelter from rain or bad weather as required according to AWA regulations and standards.

The lack of appropriate shelter for the regulated animals can be a source of discomfort during times of cold, wet or high wind conditions, which could lead to possible health issues.

The licensee must provide an appropriate shelter that includes a bottom, top and 4 sides that includes a way for the

Prepared By: COMPTON ANNMARIE, A C I USDA, APHIS, Animal Care Date:

Title: ANIMAL CARE INSPECTOR 6022

Received by Title: SENT BY EMAIL WITH REPLY RECEIPT Date: 06-DEC-2018

Page 1 of 2

06-DEC-2018

06-DEC-20



United States Department of Agriculture Animal and Plant Health Inspection Service

2016082569342744 Insp_id

Inspection Report

animal to get		41			
animal to det	away trom	The Wind	and weathe	rattne	doorway

To be corrected by: December 8. 2018

Inspection and exit interview conducted with licensee.

Prepared By: COMPTON ANNMARIE, A C I USDA, APHIS, Animal Care Date: 06-DEC-2018

Title: ANIMAL CARE INSPECTOR 6022

Received by Title: SENT BY EMAIL WITH REPLY RECEIPT Date:

06-DEC-2018



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 333931 Inspection Date: 06-DEC-18

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
333931	33-C-0490	001	Michael Potts	06-DEC-18

Page 1 of 1

CountScientific NameCommon Name000003Canis lupus familiarisDOG ADULT000003Total