



## Inspection Report

---

Seaworld Parks & Entertainment LLC  
Busch Gardens 3605 E Bougainvillea Ave  
Tampa, FL 33612

Customer ID: **324780**  
Certificate: **58-C-1002**  
Site: 003  
BUSCH GARDENS  
WILLIAMSBURG

Type: RE-LICENSE INSPECTION  
Date: 01-NOV-2022

---

### 3.1(a)

#### Housing facilities, general.

There are several areas of the facility that need repair.

- In the dog yard, the dogs have bent the wire fencing away from the fence post, exposing sharp edges of wire and creating a loose area of fencing. Sharp points on fencing can lead to potential injury and loose fencing can cause a risk of entrapment.
- In the stable paddock there is weed fabric directly inside the gate that has been torn up and has rough edges. Directly under the gate there is a plastic piece installed that has broken off in multiple areas, leading to jagged and sharp points. Exposed and torn fabric can pose an ingestion hazard, especially in young animals and lead to further illness or disease. Sharp edges of plastic can lead to potential injury of the animals housed within the enclosure.
- In Stall 1, there is some rusting of the metal frame on the right wall in the bottom right corner. Brownish-orange material was easily removed by touching the surface. The overlying paint is also starting to peel away. The bottom third of the enclosure walls is created from "Trex" decking with the upper two thirds painted concrete. Directly to the left of the leftmost stall door, the concrete has several areas of chipping paint that are actively peeling. Rusted metal cannot be adequately sanitized due to the irregular pitting of the surface. Additionally, peeling paint can be ingested by the animals and lead to illness or disease.

---

**Prepared By:** RACHEL PEREZ-BAUM  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
01-NOV-2022

**Received by Title:** Applicant

**Date:**  
01-NOV-2022



## Inspection Report

---

Correct by December 1, 2022 by making sure all housing facilities for dogs are kept in good repair and protect the animals from injury.

### 3.11(b)(2)

#### **Cleaning, sanitization, housekeeping, and pest control.**

The primary enclosure for the three dogs is not being sanitized every 2 weeks. The facility spot cleans daily and does a "deep cleaning" every 6 months. For spot cleaning, a combination of detergents and disinfectants are used. However, the primary enclosure including all walls, floors, and hard surfaces is not being cleaned and sanitized on a routine basis. Proper sanitization of primary enclosures is important for reducing disease hazards such as: potential odors, dirt, debris, and food waste, which can lead to an increased risk of illness or disease. Correct by November 8, 2022 by sanitizing the primary enclosure at least once every 2 weeks following one of the methods prescribed in 3.11b(3).

### 3.125(a)

#### **Facilities, general.**

The "Cow Hab" pasture fencing contains some locations of disrepair. To the left of the gate at the ground level, approximately 6 feet of the bottom-most horizontal wire of the metal fencing is separated from the rest of the fence, leaving sharp edges of vertical wire exposed. Additionally, to the right of the gate, the top wire is separated from the rest of the fence, exposing sharp vertical wire angled into the pasture. In "Pasture 2" an area of wire fencing has some sharp areas of exposed wire edges where a supporting fence post was recently replaced. Additionally, the fence has not been reattached to the supporting wood post. Sharp points on fencing can lead to potential injury.

Correct by December 1, 2022 by maintaining all housing facilities in good repair to protect the animals from injury and to contain the animals.

---

**Prepared By:** RACHEL PEREZ-BAUM  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL OFFICER

**Date:**  
01-NOV-2022

**Received by Title:** Applicant

**Date:**  
01-NOV-2022



## Inspection Report

---

This is a 1st Re-License Inspection for a Class "C" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspections or by December 31, 2022 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

Additional Inspectors:

Kristina Raum, VETERINARY MEDICAL OFFICER

---

**Prepared By:** RACHEL PEREZ-BAUM  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
01-NOV-2022

**Received by Title:** Applicant

**Date:**  
01-NOV-2022



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
324780	58-C-1002	003	BUSCH GARDENS WILLIAMSBURG	01-NOV-2022

Count	Scientific Name	Common Name
000003	<i>Canis lupus familiaris</i>	DOG ADULT
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000005	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000002	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000006	<i>Canis lupus</i>	GRAY WOLF / GREY WOLF / TIMBER WOLF
000001	<i>Leptailurus serval</i>	SERVAL
000003	<i>Rattus norvegicus</i>	NORWAY RAT / LAB RAT (COMMON RESEARCH/PET VARIETY)
000022	<b>Total</b>	