



## Inspection Report

---

VICKIE OWENS  
3407 NW Bur Oak Place  
JENNINGS, FL 32053

Customer ID: **500578**

Certificate:

Site: 001

VICKIE OWENS

Type: RE-LICENSE INSPECTION

Date: 27-APR-2022

---

### 3.53(a)(4)

#### Primary enclosures.

The wire floor of a cage housing one female rabbit had openings large enough to allow the rabbit's feet to curl through.

This could pose a possible entrapment concern for the animal contained therein. The floors of primary enclosures shall be constructed so as to protect the rabbits' feet and legs from injury.

Correct by May 5th, 2022 or prior to the next scheduled relicense inspection.

### 3.54(b)

#### Feeding.

Several rubber feeding bowls in the rabbit enclosures were moderately chewed down. In their current state, these bowls cannot be properly sanitized. Improper sanitization can pose a health hazard to the rabbits. Additionally, the ingestion of rubber can lead to health concerns such as a foreign body obstructions. All food receptacles shall be kept clean and sanitized at least once every two weeks.

Correct by May 3rd, 2022, or prior to the next scheduled relicense inspection.

### 3.56(a)(3)

#### Sanitation.

Currently, the areas underneath the wire caging for the rabbits is cleaned approximately once a month. This accumulation of feces, urine and discarded feed may attract pests and can be a source of unwanted odors. These areas must be

---

Prepared By: E GONZALEZ

USDA, APHIS, Animal Care

Date:

02-MAY-2022

Title: VETERINARY MEDICAL  
OFFICER

Received by Title: Licensee

Date:

02-MAY-2022



## Inspection Report

---

cleaned at least once a week.

Correct by May 4th, 2022 or prior to the next scheduled relicense inspection.

### 3.125(a)

#### Facilities, general.

Currently, the licensee has weaned four fox kits and housed them in a moveable fenced in area on the back porch. During the inspection, it was observed that the kits now know how to climb the enclosure fence and run free on the porch. They also identified the gate that restricts access to the back of the property and began attempting to climb through it. Unrestricted access to the porch and subsequently the back property poses a risk of escape to the young animals. The outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

Correct by May 3rd, 2022 or prior to the next scheduled relicense inspection.

This is a 1st Re-License Inspection for a Class "A" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspections or by June 26th, 2022 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

---

**Prepared By:** E GONZALEZ

USDA, APHIS, Animal Care

**Date:**  
02-MAY-2022

**Title:** VETERINARY MEDICAL  
OFFICER

**Received by Title:** Licensee

**Date:**  
02-MAY-2022



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
500578		001	VICKIE OWENS	27-APR-2022

Count	Scientific Name	Common Name
000007	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000010	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000017	<b>Total</b>	