



Inspection Report

Danny Ubben
Vickie Ubben
13390 240 Ave
Milo, IA 50166

Customer ID: 15151
Certificate: 42-A-1314
Site: 001
VICKIE AND DANNY UBBEN

Type: ROUTINE INSPECTION
Date: 12-JAN-2016

2.40(a)(1)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The program of veterinary care needs to be updated. The Parasite Control Sections for Ectoparasites, Blood parasites, and Intestinal parasites all contained the instructions of "monthly, Ivomectin". The licensee did not have the proper dosage instructions, route of administration for this medication, and did not have the proper instructions for the use of this medication on puppies. The licensee must consult with the attending veterinarian and develop a complete and accurate written program of veterinary care that reflects the practices at this facility. The written program of veterinary care will ensure that there is accurate and clear communication between the licensee and the attending veterinarian and ensure that all routine medications and vaccines provided to the animals by the licensee are done with the direction and knowledge of the attending veterinarian.

To be corrected by: January 20, 2016

3.1(a)

HOUSING FACILITIES, GENERAL.

The licensee has cages that are stacked three high and secured to each other with wires. These stacked cages were observed to wobble and sway when the dogs were active and moving around in them. These stacked cages are not structurally sound and at a risk of toppling over which could cause injury to the dogs contained in them. There are at least twenty adult dogs housed in these cages. The licensee must secure the stacked cages so that they are structurally sound and do not pose a risk of toppling over.

Inside of three enclosures, containing at least three adult dogs and nine puppies, the licensee has heat lamps provided for the dogs at a level that they could come into contact with the light bulb. The light bulb produces enough heat that it could cause a burn injury to the dogs. These light bulbs could also break leaving shards of broken glass that could injure the dogs and puppies. The licensee must move the heat lamps to a location that the dogs cannot be injured by the heat or broken glass.

The licensee must ensure that all enclosures are designed and constructed so that they are structurally sound and

Prepared By: KELLY MAXWELL, A C I USDA, APHIS, Animal Care

Date:
14-JAN-2016

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: SENT VIA STANDARD MAIL

Date:
15-JAN-2016



Inspection Report

must protect the animals from injury at all times.

To be corrected by: January 20, 2016

3.1(c)(1)(2)

HOUSING FACILITIES, GENERAL.

The licensee has secured the stacked cages with twisted wires. At least three of these enclosures, containing at least four dogs, have the sharp ends of the twisted wires protruding into the enclosures. These sharp points could injure the dogs. The licensee fixed some of these at the time of inspection. The licensee must remove all sharp points from the enclosures and ensure that all enclosures are free of jagged edges or points that could injure the dogs at all times.

To be corrected by: January 20, 2016

3.1(c)(3)

HOUSING FACILITIES, GENERAL.

There is an accumulation of hair, dirt and organic material on several of the enclosures walls, floors, and the pans underneath of the enclosures inside of the facility. There is an accumulation of hair, dust and dirt adhered to and hanging from the ceiling of the facility. This accumulation of hair, dirt, and other organic materials on the enclosures does not allow for proper sanitization to occur. There are at least twenty adult dogs housed in these enclosures. The hair, dust, dirt and other organic material can become a disease hazard to the animals. The licensee must thoroughly clean the enclosures and remove the hair, dust and dirt from the ceiling. The licensee must ensure that all hard surfaces with which the dogs come into contact with are spot cleaned daily, and sanitized at least once every two weeks, or more often if necessary. All other surfaces within the housing facility must be cleaned and sanitized when necessary to satisfy generally accepted husbandry standards and practices.

To be corrected by: January 20, 2016

3.2(b)

INDOOR HOUSING FACILITIES.

The ammonia level inside of the indoor facility was very strong and prominent. There was a ceiling fan and another larger fan running, and the windows were all closed. As the inspectors entered the facility it was noted that their eyes, nose and throats developed a burning sensation. The licensee cracked some of the windows and opened the screen on the screen door which helped to dissipate some of the ammonia odor. There are at least eighty-seven

Prepared By: KELLY MAXWELL, A C I USDA, APHIS, Animal Care

Date:
14-JAN-2016

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: SENT VIA STANDARD MAIL

Date:
15-JAN-2016



Inspection Report

adult dogs and thirteen puppies housed in this building. The ammonia odor can cause irritation to the dog's eyes and airway passages. The licensee needs to provide more ventilation in the facility to reduce the ammonia levels. The owner must develop and maintain a program that will ensure sufficient ventilation is provided at all times when dogs are present to provide for their health and well-being, and to minimize odors, drafts, ammonia levels, and moisture condensation.

To be corrected by: January 20, 2016

3.2(d)

INDOOR HOUSING FACILITIES.

The cement floor of the indoor facility is no longer impervious to moisture. There are several areas on the floor where water or other liquid material had soaked into the concrete. This does not allow for proper cleaning and sanitization to occur. The licensee must make the floor of the facility impervious to moisture. The licensee must ensure that the floors, walls, and ceiling are impervious to moisture at all times.

To be corrected by: February 12, 2016

3.11(a)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

All of the enclosures inside of the facility are wire cages with a plastic tray underneath to catch the urine, fecal and food wastes. The pans were lined with newspaper that were mostly saturated with urine and/or other liquids. Some of the pans had puddles of standing urine and/or other liquids along with fecal material and food waste. When the inspectors asked the licensee how often she is removing and cleaning the trays she replied "weekly". There are at least thirty adult dogs housed in these affected wire cages. The saturated paper and standing puddles of urine could be contributing to the high ammonia levels inside of the facility. The licensee must remove the pans from under the primary enclosures and clean them. The licensee must remove and clean these pans underneath the enclosures as often as necessary to prevent an excessive accumulation of feces and food waste, and to reduce disease hazards, insects, pests and odors.

To be corrected by: January 20, 2016

This is a continuation of the inspection report for the inspection dated January 12, 2016.

The exit interview with Kelly Maxwell, ACI and Stephanie Osborne, ACI, over this material was not conducted with

Prepared By: KELLY MAXWELL, A C I USDA, APHIS, Animal Care

Date:
14-JAN-2016

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: SENT VIA STANDARD MAIL

Date:
15-JAN-2016



Inspection Report

the licensee at his request.

Additional Inspectors

Osborne Stephanie, Animal Care Inspector

Prepared By: KELLY MAXWELL, A C I USDA, APHIS, Animal Care

Date:
14-JAN-2016

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: SENT VIA STANDARD MAIL

Date:
15-JAN-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
15151	42-A-1314	001	VICKIE AND DANNY UBBEN	12-JAN-16

Count	Scientific Name	Common Name
000087	<i>Canis lupus familiaris</i>	DOG ADULT
000013	<i>Canis lupus familiaris</i>	DOG PUPPY
000100	Total	