



## Inspection Report

---

Dixie Irvin  
341523 E. 800 Road  
Tryon, OK 74875

Customer ID: **11719**  
Certificate: **73-A-2059**  
Site: 001  
DIXIE IRVIN

Type: ROUTINE INSPECTION  
Date: 02-SEP-2014

---

### 3.9(b)

#### FEEDING.

- Most of the food receptacles in use were dirty with hair clumps and grim on the interior surface where the food is dispensed to the dogs. The facility representative stated theses receptacles were cleaned once a year. The food receptacles must be cleaned frequently enough to provide uncontaminated, wholesome food. They must also be sanitized at least every two weeks. These food receptacles must be cleaned and sanitized before they are used again.

Correct by: 9/9/2014

Inspection and exit interview conducted with facility representative.

---

Prepared By: DEBBIE CUNNINGHAM, D V M USDA, APHIS, Animal Care

Date:  
03-SEP-2014

Title: VETERINARY MEDICAL OFFICER 6072

Received by Title: SENT VIA EMAIL

Date:  
03-SEP-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
11719	73-A-2059	001	DIXIE IRVIN	02-SEP-14

Count	Scientific Name	Common Name
000017	<i>Canis lupus familiaris</i>	DOG ADULT
000006	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000023</b>	<b>Total</b>	