



## Inspection Report

Karl Brantley  
26214 Pollard Rd  
Daphne, AL 36526

Customer ID: **15456**  
Certificate: **64-C-0156**  
Site: 001  
BRANTLEY FARMS

Type: ROUTINE INSPECTION  
Date: 07-DEC-2016

### 3.53(a)(2)

#### PRIMARY ENCLOSURES.

\*\* Due to the extensive rusting of the rabbits' cages they are unable to keep their paws clean. The enclosure shall be maintained in good repair to allow the animals to stay clean. Correct by January 7, 2017

### 3.55

#### WATERING.

\*\* The rabbits water receptacle has not been cleaned and/or sanitized. All watering receptacles shall be sanitized when dirty: Provided, however, That such receptacles shall be sanitized at least once every 2 weeks. Correct by December 10, 2016

### 3.56(a)(1)

#### SANITATION.

\*\*\*The rabbits cage had caked up old food, feces, hair and some other wet substance that accumulated on the pan extending to the floor and into their primary enclosure. Primary enclosures shall be kept reasonably free of excreta, hair, cobwebs and other debris by periodic cleaning to minimize disease and illness. Measures shall be taken to prevent the wetting of rabbits in such enclosures if a washing process is used. Correct by December 14, 2016.

### 3.125(a) REPEAT

#### FACILITIES, GENERAL.

\*\* On the west side of the goats primary enclosure there were several areas with pointy ends extending from the fencing. Also on the entrance of the small catch pen inside the goats primary enclosure there are pointy ends extending into the opening from the fencing.

\*\* Behind the emu's pen there was a 2 x 4 with two nails protruding from both ends of it.

\*\*The primary fencing for the llama had several posts with loose barbed wire haphazardly wrapped and the animals

Prepared By: ANNETTE CHAPMAN, D V M USDA, APHIS, Animal Care

Date:  
07-DEC-2016

Title: VETERINARY MEDICAL OFFICER 6048

Received by Title: LICENSEE

Date:  
07-DEC-2016



## Inspection Report

---

could come in contact with it. Also the south side of the fencing that runs into the shed is down and in disrepair.

These areas of the primary enclosure could be injurious to the animals and needs to be repaired and/or removed.

\*\*In the primary enclosure containing the goats and cows there were strands of hay bale twine on the ground. The twine should be removed to prevent the animals from possible ingestion or becoming entangled in it.

\*\*There was a goat that was in the emu's primary enclosure. The owner stated that the goat gets in and out of its original pen. The outdoor housing facilities shall be structurally sound and shall be maintained in good repair to contain the animals.

This inspection and exit interview were conducted with the licensee.

---

**Prepared By:** ANNETTE CHAPMAN, D V M     USDA, APHIS, Animal Care

**Date:**  
07-DEC-2016

**Title:** VETERINARY MEDICAL OFFICER 6048

**Received by Title:** LICENSEE

**Date:**  
07-DEC-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
15456	64-C-0156	001	BRANTLEY FARMS	07-DEC-16

Count	Scientific Name	Common Name
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000012	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Lama glama</i>	LLAMA
000003	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000020</b>	<b>Total</b>	