



## Inspection Report

---

Wayne Kuhns  
9545 C R 329  
Holmesville, OH 44633

Customer ID: **329504**  
Certificate: **31-A-0477**  
Site: 001  
WAYNE KUHNS

Type: ROUTINE INSPECTION  
Date: 08-MAY-2014

---

### 3.6(a)(2)(10)

#### PRIMARY ENCLOSURES.

Five unweaned puppies housed in of the upper whelping enclosure on the eastern side of the kennel were observed to have their feet and legs passing through the openings in the wire mesh floor. Flooring that allows feet or legs to pass through can result in injury or entrapment of a limb. The floor must be constructed in a manner that protects the feet and legs from injury and if of mesh or slatted construction, does not allow the animal's feet to pass through any openings in the floor.

Correct by: 15 May 2014

---

Prepared By: DONALD THEODORSON USDA, APHIS, Animal Care

Date:  
08-MAY-2014

Title: VETERINARY MEDICAL OFFICER 6056

Received by Title: SENT BY CERTIFIED MAIL 7012 3050 0000 8269 7037

Date:  
08-MAY-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
329504	31-A-0477	001	WAYNE KUHNS	08-MAY-14

Count	Scientific Name	Common Name
000014	<i>Canis lupus familiaris</i>	DOG ADULT
000008	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000022</b>	<b>Total</b>	