



Inspection Report

James H Mckenzie
910 Lewis Frasier Road
Midway, GA 31320

Customer ID: **327115**
Certificate: **57-C-0303**
Site: 001
JAMES MCKENZIE

Type: ROUTINE INSPECTION
Date: 20-JUL-2016

2.40(a)(1) REPEAT

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

There is no written program of veterinary care available for review. The animal caretaker said the program is in the office which is located off site. Access to the program of veterinary care was documented on the previous inspection as well. To date we have not been able to review the plan. The written program of veterinary care shall be kept on hand for review by USDA Officials during unannounced inspections.

2.40(b)(3) DIRECT

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

There are 11 recently acquired goats and one sheep in the goat pen behind the play yard. We observed at least 5 of the goats and the 1 sheep with dry and crusty material on their nostrils. One of the goats also had similar discharge from her eyes. The condition of these animals had not been observed by the caretaker prior to this inspection. Untreated illness can lead to further spread of disease and possibly death. These animals shall be examined by a veterinarian and appropriate treatment provided. Correct by July 23, 2016.

The large male goat that is singly housed was observed kneeling in his enclosure. When the goat was encouraged to stand he was observed to be lame primarily on his right forelimb. Upon closer observation of the hooves it is noted that the toes on the forelimbs are overgrown forcing the toes into an abnormal position. This goat shall be examined and treated as required for his condition. Correct by July 23, 2016.

3.50(a) REPEAT

FACILITIES, GENERAL.

There is a ramp in the rabbit enclosure that was placed to allow the rabbits access to the raised rabbit house. The ramp has become warped and is bending down in the center. There are slats running crosswise on the ramp to provide additional footing for the rabbits. These slats are attached with one screw in the center. The top slat has turned and is vertical which will not provide any grip for the rabbits. Two of the slats have become dislodged and are laying on the floor of the rabbit cage, one of these is turned upside down exposing the pointed end of the screw which may cause injury upon contact. The ramp is not structurally sound. The ramp shall be repaired or replaced to protect the rabbits from injury and allow them access to their house.

Prepared By: BRENDA PIETROSANTE, A C I USDA, APHIS, Animal Care

Date:
21-JUL-2016

Title: ANIMAL CARE INSPECTOR 6011

Received by Title: ANIMAL CARETAKER

Date:
21-JUL-2016



Inspection Report

3.125(a) REPEAT

FACILITIES, GENERAL.

(a) Structural strength

The area containing 21 goats has holes in the fencing large enough for the heads of the larger goats to become entrapped, and for the smaller goats to possibly get out of the enclosure.

The barn containing 17 young pigs has an old metal gate laying down in the mudded area. This could pose as an injury risk for the pigs.

The area containing 7 Pot Belly pigs has areas around the enclosure that have large gaps under the fencing that could easily allow for the pigs to escape, or become lodged under the fencing.

Along the outside bottom of the barn used for the 21 goats night housing is panels of tin. This tin is rusted, and torn with jagged edges sticking out.

Throughout the entire facility, there is broken wood on the fencing and broken wood being used as a stabilizer for the wire fencing. There are areas of broken down, pushed down, and large holes in the wire fencing. The wood fencing has broken boards, slats, and splintered areas. This creates multiple areas of disrepair around the entire facility. All of these areas need to be repaired or replaced to protect the animals from injury.

3.131(c) REPEAT

SANITATION.

The area containing 21 goats, had an old, broken down tractor, with several piles of wood, and other debris within the enclosure. The goats all have access to this debris, and can easily climb, and walk in, on, and around it. This situation of machinery, wood piles, and miscellaneous debris creates an injury hazard for the goats within the enclosure.

The area containing the Camel had an open gate leading into the area where machinery is stored. This area had automotive supplies, an old bus, and several piles of lumber and debris. The Camel has access to this area during the day when in his grazing pasture which could easily create an injury hazard to the animal.

Premises containing animals must be kept clean and free of any obstacles that could pose as a hazard to the health and well being of the animals involved.

Prepared By: BRENDA PIETROSANTE, A C I USDA, APHIS, Animal Care

Date:
21-JUL-2016

Title: ANIMAL CARE INSPECTOR 6011

Received by Title: ANIMAL CARETAKER

Date:
21-JUL-2016



Inspection Report

The inspection and exit briefing conducted by Brenda Pietrosante, ACI and Michelle B. Williams, VMO with the Animal Caretaker.

Additional Inspectors

Williams Michelle, Veterinary Medical Officer

Prepared By: BRENDA PIETROSANTE, A C I USDA, APHIS, Animal Care

Date:
21-JUL-2016

Title: ANIMAL CARE INSPECTOR 6011

Received by Title: ANIMAL CARETAKER

Date:
21-JUL-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
327115	57-C-0303	001	JAMES MCKENZIE	20-JUL-16

Count	Scientific Name	Common Name
000001	<i>Camelus dromedarius domestic</i>	DOMESTIC DROMEDARY CAMEL
000033	<i>Capra hircus</i>	DOMESTIC GOAT
000005	<i>Lama glama</i>	LLAMA
000003	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000001	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000024	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000067	Total	