



Inspection Report

Briar Bush Nature Center
1212 Edgehill Road
Abington, PA 19001

Customer ID: **22411**

Certificate: **23-C-0346**

Site: 001

Briar Bush Nature Center

Type: RE-LICENSE INSPECTION

Date: 16-JAN-2025

3.152(b)

Facilities, outdoor

The outdoor red-tailed hawk enclosure does not have adequate shelter to protect the animal during inclement weather. Currently the red-tailed hawk has plywood on two sides in the lower right corner of the enclosure with a roof on top of the plywood. Temperature was 26 degrees Fahrenheit with a southwest wind speed of 8 mph at time of inspection. Inadequate shelter during inclement weather such low temperatures and strong winds can affect the comfort and health of animals. Correct by providing a shelter box or shelter structure in the enclosure to protect the hawk during inclement weather.

This is a 1st re-license inspection for a Class C license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspections or by March 17, 2025 counted from 1st re-license inspection or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact inspector to schedule your next re-license inspection.

Regulated activity can continue under your existing USDA license until it expires.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
16-JAN-2025

Received by Title: Applicant

Date:
16-JAN-2025



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
22411	23-C-0346	001	Briar Bush Nature Center	16-JAN-2025

Count	Scientific Name	Common Name
000001	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000001	<i>Mephitis mephitis</i>	STRIPED SKUNK
000001	<i>Didelphis virginiana</i>	VIRGINIA OPOSSUM
000001	<i>Buteo jamaicensis</i>	RED-TAILED HAWK
000002	<i>Megascops asio</i>	EASTERN SCREECH-OWL
000006	Total	