



Inspection Report

Los Angeles Zoo
5333 Zoo Drive
Los Angeles, CA 90027

Customer ID: 3532
Certificate: 93-C-0043
Site: 001
LOS ANGELES ZOO

Type: ROUTINE INSPECTION
Date: 03-FEB-2016

3.106(b)(3)

WATER QUALITY.

Water quality records presented indicate that water samples are not being collected and tested at least daily for pH. According to the records and a facility representative, it is being done at least 4 times per week. Monitoring water quality for pH on a daily basis is important for the health and well-being of the animals.

Water samples shall be taken and tested at least weekly for coliform count and at least daily for pH and any chemical additives (e.g. chlorine and copper) that are added to the water to maintain water quality standards. A system should be in place to ensure that samples are collected and tested as required.

To be corrected by February 19, 2016

3.107(b)

SANITATION.

In a marine mammal food preparation area, there is a moderate amount of dust and debris collecting on a window sill/ ledge and on a vent. These areas should be cleaned and sanitized as required.

Kitchens and other food handling areas where animal food is prepared must be cleaned at least once daily and sanitized at least once every week.

To be corrected by February 19, 2016

An exit briefing was conducted with the facility representative.

Prepared By: ALEXANDRA ANDRICOS, D V M USDA, APHIS, Animal Care

Date:
17-FEB-2016

Title: VETERINARY MEDICAL OFFICER 5038

Received by Title: FACILITY REPRESENTATIVE

Date:
17-FEB-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3532	93-C-0043	001	LOS ANGELES ZOO	03-FEB-16

Count	Scientific Name	Common Name
000003	<i>Gorilla gorilla</i>	WESTERN GORILLA
000018	<i>Pan troglodytes</i>	CHIMPANZEE
000003	<i>Phoca vitulina</i>	HARBOR SEAL
000005	<i>Pongo pygmaeus</i>	BORNEAN ORANGUTAN
000029	Total	