



Inspection Report

City Of Overland Park
8500 Sante Fe Dr
Overland Park, KS 66212

Customer ID: **4082**
Certificate: **48-C-0170**
Site: 001
City of Overland Park

Type: ROUTINE INSPECTION
Date: 24-JAN-2017

3.125(a)

FACILITIES, GENERAL.

* Two separate areas of missing, splintered wood were observed on the interior wall in one outdoor sheltered building. Twenty three goats and two sheep are in contact with the affected area. Deterioration of wood surfaces can affect the structural integrity of the enclosure. Splintered wood could cause possibly injury if accidentally ingested. The licensee must ensure that outdoor housing facilities shall be maintained in good repair to protect the animals from injury. Correct by 2/7/17.

3.127(c)

FACILITIES, OUTDOOR.

* The area surrounding the food receptacle is covered with mud and standing water. Three hoof stock are in contact with the affected area located in outdoor housing. These animals cannot approach the food receptacle without walking through the mud and standing water. Standing water and mud can attract pests, lead to hoof or foot problems and increase the risks of disease transmission and create a reluctance to enter the feed area. The licensee must provide a suitable method for the rapid elimination of excess water. The method of drainage shall comply with applicable Federal, State and local laws and regulations relating to pollution control or the protection of the environment. Correct by 2/7/17.

3.129(b)

FEEDING.

* An estimated one foot section of plastic has become detached from the food receptacle and is extending upwards towards the animals. The receptacle used by three hoof stock animals is located in outdoor housing. A rough, jagged surface cannot be easily cleaned and sanitized. It could harbor bacteria and other disease causing agents that could negatively impact the health of the animals. In addition, the section of plastic extending upwards could cause injury. The licensee must ensure that all receptacles shall be kept clean and sanitary at all times. Correct by 1/31/17.

* The facility inspection verbal exit briefing on on 1/24/17 and exit briefing done on 1/25/17 were conducted with

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
25-JAN-2017

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: ANIMAL CARE SUPERVISOR

Date:
25-JAN-2017



Inspection Report

the facility Animal Care Supervisor.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
25-JAN-2017

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: ANIMAL CARE SUPERVISOR

Date:
25-JAN-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
4082	48-C-0170	001	City of Overland Park	24-JAN-17

Count	Scientific Name	Common Name
000001	<i>Bison bison</i>	AMERICAN BISON
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000058	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Cynomys ludovicianus</i>	BLACK-TAILED PRAIRIE DOG
000002	<i>Lynx rufus</i>	BOBCAT
000006	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000002	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000003	<i>Sus domestica</i>	DOMESTIC PIG
000076	Total	