



## Inspection Report

Ben Shrock  
8230 E 700 Rd  
El Dorado Springs, MO 64744

Customer ID: **42046**  
Certificate: **43-A-5277**  
Site: 002  
BEN SHROCK

Type: ROUTINE INSPECTION  
Date: 29-JUL-2014

### 3.75(c)(1)(1)

#### HOUSING FACILITIES, GENERAL.

##### Section 3.75 (c)(1)(i) Surfaces

\*\*\*\* The white cage that has the two Tamarin non human primates has white paint missing in areas and the metal is rusting and starting to pit. The rust inhibits the ability of the surface to be cleansed and sanitized properly. It also compromises the integrity of the enclosure. All enclosures must be free of excessive rust to ensure the required cleaning and sanitization can be done. Free of excessive ensures that structural integrity is not not compromised. Licensee has a second cage that he can swap the Tamarins in to after it has been cleaned and sanitized.

To be corrected by: 08-20-2014

Inspection and Exit interview conducted with facility representative.

Prepared By: DAVID COURTRIGHT, A C I USDA, APHIS, Animal Care

Date:  
29-JUL-2014

Title: ANIMAL CARE INSPECTOR 4042

Received by Title: LICENSEE

Date:  
29-JUL-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
42046	43-A-5277	002	BEN SHROCK	29-JUL-14

Count	Scientific Name	Common Name
000001	<i>Callithrix jacchus</i>	COMMON MARMOSET
000005	<i>Cebus capucinus</i>	WHITE-HEADED / WHITE-THROATED CAPUCHIN
000002	<i>Saguinus fuscicollis</i>	SADDLE-BACK TAMARIN
<b>000008</b>	<b>Total</b>	