



## Inspection Report

Bearizona Wildlife Park L L C  
1500 E. Route 66  
Williams, AZ 86046

Customer ID: **321880**  
Certificate: **86-C-0100**  
Site: 001

BEARIZONA WILDLIFE PARK, L L C

Type: ROUTINE INSPECTION  
Date: 11-MAY-2015

### 2.40(b)(2) REPEAT

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

\*\*\*During the inspection, expired medications were found including: Ivermectin expired 07/2013 and 1 bottle of sterile saline expired 13 Jun. Use of expired or improperly stored medical materials is not considered to be adequate veterinary care as the effects cannot be guaranteed to appropriately treat the animals condition and the materials may become contaminated which poses a risk to the animals. Appropriate methods to prevent, control, diagnose, and treat diseases and injuries shall be used, established, and maintained as part of the program for veterinary care.

### 3.125(a) REPEAT

#### FACILITIES, GENERAL.

\*\*\*The wood lean to in the sheep area, of the drive through section, had nails that had become loose and are protruding from the wooden structure. The loose nails pose a risk of injury to the animals and can decrease the structural stability of the structure.

\*\*\*Inside one of the wooden shelters in the petting zoo area, there were nails that were not driven in to the studs and were protruding from the wooden structure. The protruding nails pose a risk of injury to the animals and can decrease the structural stability of the structure. The protruding nails were removed during the inspection.

\*\*\* The enclosure housing 3 collared peccaries had several areas in which the lathe (metal framework) under the gunite was exposed and twisted with sharp points. The building materials were not maintained in good repair to protect the animals from injury.

\*\*\*The drain access in the river otter exhibit is not being maintained in a manner to protect the animals from injury. The drain lever is in the bottom of a tube which has no lid/top on it. The facility is using a rock in the end of the tube to restrict access of the animals into the tube. There is a gap between the edge of the tube and the rock, which the otters may fit into and injury themselves. The facility must find an alternative to the rock, in order to restrict the animal's access into the tube and protects the animals from injury.

Prepared By: AARON RHYNER, D V M USDA, APHIS, Animal Care

Date:  
15-SEP-2015

Title: ASSISTANT DIRECTOR 6077

Received by Title: 7014 2870 0000 0136 6003

Date:  
15-SEP-2015



## Inspection Report

---

Failure to maintain housing and exhibit facilities in a structurally sound manner can cause injury to the animals. The affected structures must be repaired or replaced and all facilities should be maintained and kept structurally sound to protect and contain the animals moving forward.

3.130

### **WATERING.**

\*\*\*The beaver exhibit uses a dive/swimming pool as the only source of potable water for the animal. At the time of the inspection, the water was very turbid and full of debris and would not be considered safe for drinking.

\*\*\*The petting zoo area uses a shallow pool as the only source of potable water for the animals in that area. At the time of inspection, there was a buildup of green and brown debris on the interior surface of the pool.

Potable water receptacles/sources must be maintained in a clean and sanitary condition in order to ensure that the animals are provided with clean, potable water, to minimize disease hazards and to ensure that they maintain adequate hydration. Water sources/receptacles should be cleaned at a frequency that is adequate to maintain standard husbandry practices.

To be corrected by 5/13/15.

Inspection and exit briefing were conducted by 2 Animal Care Veterinary Medical Officers with the chief operating officer.

### **Additional Inspectors**

Tygart Michael, Supervisory Animal Care Specialist

---

**Prepared By:** AARON RHYNER, D V M USDA, APHIS, Animal Care

**Date:**  
15-SEP-2015

**Title:** ASSISTANT DIRECTOR 6077

**Received by Title:** 7014 2870 0000 0136 6003

**Date:**  
15-SEP-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
321880	86-C-0100	001	BEARIZONA WILDLIFE PARK, L L C	11-MAY-15

Count	Scientific Name	Common Name
000002	<i>Bassariscus astutus</i>	RINGTAIL
000018	<i>Bison bison</i>	AMERICAN BISON
000007	<i>Canis lupus</i>	GRAY WOLF / GREY WOLF / TIMBER WOLF
000011	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Castor canadensis</i>	AMERICAN BEAVER
000001	<i>Cervus c. canadensis</i>	ELK
000005	<i>Cynomys ludovicianus</i>	BLACK-TAILED PRAIRIE DOG
000001	<i>Didelphis virginiana</i>	VIRGINIA OPOSSUM
000002	<i>Erethizon dorsatum</i>	NORTH AMERICAN PORCUPINE
000002	<i>Lontra longicaudis</i>	NEOTROPICAL OTTER
000004	<i>Lynx rufus</i>	BOBCAT
000001	<i>Marmota monax</i>	GROUNDHOG / WOODCHUCK
000002	<i>Mephitis mephitis</i>	STRIPED SKUNK
000003	<i>Muscardinus avellanarius</i>	HAZEL DORMOUSE
000007	<i>Odocoileus hemionus</i>	MULE DEER
000002	<i>Odocoileus virginianus</i>	WHITE-TAILED DEER
000003	<i>Oreamnos americanus</i>	ROCKY MOUNTAIN GOAT
000008	<i>Ovis canadensis</i>	BIGHORN SHEEP
000008	<i>Ovis dalli</i>	WHITE SHEEP
000003	<i>Pecari tajacu</i>	COLLARED PECCARY
000004	<i>Procyon lotor</i>	RACCOON
000002	<i>Spilogale putorius</i>	SPOTTED SKUNK
000003	<i>Sus domestica</i>	DOMESTIC PIG
000002	<i>Taxidea taxus</i>	AMERICAN BADGER
000001	<i>Tolypeutes tricinctus</i>	BRAZILIAN THREE-BANDED ARMADILLO
000037	<i>Ursus americanus</i>	NORTH AMERICAN BLACK BEAR
000001	<i>Vulpes velox</i>	SWIFT FOX
000003	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
<b>000144</b>	<b>Total</b>	