



Inspection Report

Sylvia Dishman
904 Beechwood Drive
Dandridge, TN 37725

Customer ID: **42069**
Certificate: **63-B-0167**
Site: 001
SYLVIA DISHMAN

Type: ROUTINE INSPECTION
Date: 17-MAY-2017

3.126(b) REPEAT

FACILITIES, INDOOR.

The inspector smelled a strong odor when entering the indoor building that houses the sugar gliders. The inspector noted that several fans were running however the fans were not able to adequately provide enough fresh air to reduce odors. At the time of the inspection the cooling system had a mechanical failure and was in the process of being repaired. Excess odors could cause discomfort and health problems for the sugar gliders. Facilities shall provide adequate ventilation for the health of the animals and to prevent discomfort in the animals. Adequate ventilation is required to eliminate strong odors.

3.131(a) REPEAT

SANITATION.

There were four primary enclosures for the sugar gliders that had a brown sticky looking substance on the black wires of the cages. The four larger primary enclosures that house several sugar gliders should be cleaned more often to adequately maintain cages and reduce odors. This could cause disease and unhealthy living conditions for the sugar gliders. Excreta shall be removed as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors. All primary enclosures for the sugar gliders need to be cleaned and maintained as often as needed in order to create an adequate healthy living environment for the sugar gliders.

An exit briefing was conducted with the owner.

Prepared By: WILEY KATHERINE, A C I USDA, APHIS, Animal Care

Date:
18-MAY-2017

Title: ANIMAL CARE INSPECTOR 6038

Received by Title: OWNER

Date:
18-MAY-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
42069	63-B-0167	001	SYLVIA DISHMAN	17-MAY-17

Count	Scientific Name	Common Name
000160	<i>Petaurus breviceps</i>	SUGAR GLIDER
000160	Total	