



Inspection Report

Advanced Science Research Center Of Cuny
85 St Nicholas Terrace
New York, NY 10031

Customer ID: **333477**
Certificate: **21-R-0240**
Site: 001

ADVANCED SCIENCE RESEARCH CENER OF CUNY

Type: ROUTINE INSPECTION
Date: 07-SEP-2016

3.131(c)

SANITATION.

Item Housekeeping 3.131 c

At the time of inspection it was noticed that an area of ceiling was peeling above the tunnel washer in the the clean side of the cage washer.

Facility needs to repair surface so as prevent peeling paint and to maintain good husbandry practices.

Correct by 10/1/2016

This inspection and exit interview were conducted with Director/Attending Veterinarian

Additional Inspectors

Mcintosh Ashley, Veterinary Medical Officer

Prepared By: JOHN LOPINTO, D V M USDA, APHIS, Animal Care

Date:
07-SEP-2016

Title: VETERINARY MEDICAL OFFICER 1008

Received by Title: DIRECTOR/ATTENDING VETERINARIAN

Date:
07-SEP-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
333477	21-R-0240	001	ADVANCED SCIENCE RESEARCH CENER OF CUNY	07-SEP-16

Count	Scientific Name	Common Name
000011	<i>Peromyscus maniculatus</i>	DEER MOUSE
000011	Total	