



Inspection Report

Linda S Hope
175 Mc Ginns Lake
North Bend, NE 68649

Customer ID: **322187**
Certificate: **47-A-0602**
Site: 001
LINDA S HOPE

Type: ROUTINE INSPECTION
Date: 16-SEP-2016

3.1(c)(1)(i)

HOUSING FACILITIES, GENERAL.

* The dividers between the enclosures are painted metal paneling with pipe framing. The paint for five of these dividers had peeled off in areas along the bottom of the dividers. These areas were excessively rusty and flaking. In places, the metal surface is corroding away. Two enclosure fronts were painted metal paneling and pipe framing. The paint had peeled off along the bottom pipe of these fronts. These metal surfaces were excessively rusty and flaking. These excessively rusty and corroding metal surfaces cannot be properly cleaned and sanitized. Therefore, increasing the disease potential for the eight adult dogs. The areas of corrosion can affect the structural strength of the metal surfaces or panels.

All metal surfaces must be kept free of rust and maintained on a regular basis. This will allow for required cleaning and sanitization in the prevention of diseases. Also, this will maintain the structural strength of the metal surfaces.

To be corrected by, 21-November-2016.

This inspection and exit interview were conducted with the facility representative and Randall Wagner (ACI).

This inspection report will be sent by both regular and certified mail.

USPS Tracking#: 9590940100245071529107

Prepared By: RANDALL WAGNER, A C I USDA, APHIS, Animal Care

Date:
21-SEP-2016

Title: ANIMAL CARE INSPECTOR 4038

Received by Title: CERT. MAIL:70111150000010377396

Date:
21-SEP-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
322187	47-A-0602	001	LINDA S HOPE	16-SEP-16

Count	Scientific Name	Common Name
000013	<i>Canis lupus familiaris</i>	DOMESTIC DOG
000013	Total	