



Inspection Report

KYLE WILSON
1416 CURRIER LANE
KNOXVILLE, TN 37919

Customer ID: **9679**
Certificate: **63-C-0149**
Site: 001
ROCKY HILL REINDEER

Type: FOCUSED INSPECTION
Date: 28-JUN-2022

2.126(a) Critical

Access and inspection of records and property; submission of itineraries.

***Unable to review records as they are currently held electronically and the computer is not operable. The licensee has stated that he does not have hard copies of the records.

***Unable to inspect reindeer enclosure. The reindeer currently have access to the main pen as well as the back pen. When asked about entering the pen the licensee stated that we could not enter because the reindeer are in velvet. The food and water bowls are located inside the enclosure and cannot be accessed to feed and water without entering the pen. USDA inquired as to how the reindeer are currently being fed and watered without being able to access the enclosure. The licensee stated he is able to access the pen and care for the reindeer but USDA could not. USDA then inquired if the licensee could lock the reindeer in the back pen to allow inspection of the main pen but the licensee said not right now.

Each exhibitor shall, during business hours, allow APHIS officials to enter its place of business; to examine records required to be kept by the Act and the regulations in this part, to make copies of the records, to inspect and photograph the facilities, property and animals, as the APHIS officials consider necessary to enforce the provisions of the Act, the

Prepared By: MICHELLE WILLIAMS
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
05-JUL-2022

Received by Title: Licensee

Date:
05-JUL-2022



Inspection Report

regulations and the standards in this subchapter; and to document, by the taking of photographs and other means, conditions and areas of noncompliance to ensure the health and wellbeing of the animals housed at the facility.

To be corrected by July 15, 2022.

3.125(a)

Repeat

Facilities, general.

***The large tree that fell on the fence along the right side of the back enclosure was cited on previous inspections is can be seen still laying on the fence compromising the structural soundness causing the top line of the fence to bend down and outward, and the lower wire to bend inward into the enclosure leaving areas that may allow the reindeer to become hung up in the fence. The fence is in disrepair and shall be repaired or replaced to protect the reindeer from injury and to maintain them securely within the enclosure.

This inspection and exit interview were conducted with the Licensee.

Prepared By: MICHELLE WILLIAMS
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
05-JUL-2022

Received by Title: Licensee

Date:
05-JUL-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
9679	63-C-0149	001	ROCKY HILL REINDEER	28-JUN-2022

Count	Scientific Name	Common Name
000013	<i>Rangifer tarandus</i>	REINDEER
000013	Total	