



## Inspection Report

---

Miguel A Palacios  
19 Brenda Lane  
Round Rock, TX 78665

Customer ID: **42746**

Certificate: **74-C-0851**

Site: 001

Miguel Palacios

Type: ROUTINE INSPECTION

Date: 20-JAN-2015

---

**3.55**

### **WATERING.**

The rabbits located inside the barn did not have water to drink. The inability to have access to potable water can compromise the health and well-being of the rabbits. Sufficient potable water shall be provided daily to give adequate nutrition.

Corrected at the time of inspection.

Inspection and exit interview conducted by APHIS personnel with facility representative.

---

**Prepared By:** BRYAN IRWIN, C S USDA, APHIS, Animal Care

**Date:**  
22-JAN-2015

**Title:** COMPLIANCE SPECIALIST 6081

**Received by Title:** SENT BY EMAIL

**Date:**  
22-JAN-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
42746	74-C-0851	001	Miguel Palacios	20-JAN-15

Count	Scientific Name	Common Name
000020	<i>Capra hircus</i>	DOMESTIC GOAT
000016	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000012	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
<b>000048</b>	<b>Total</b>	