



Inspection Report

Jessica Linson
P.O. Box 146
Wheelock, TX 77882

Customer ID: **322228**
Certificate: **74-C-0858**
Site: 001
Jessica Linson

Type: ROUTINE INSPECTION
Date: 01-JUN-2015

3.130

WATERING.

Inside the goat enclosure, the watering receptacle in this enclosure has an excess of green material covering the inside of the watering receptacle. Dirty water may harbor disease hazards which may pose a health risk for the animals. All water receptacles shall be kept clean and sanitary.

Correct from this day forward.

Inspection and exit interview conducted by APHIS personnel with licensee.

Prepared By: BRYAN IRWIN, C S USDA, APHIS, Animal Care

Date:
02-JUN-2015

Title: COMPLIANCE SPECIALIST 6081

Received by Title: SENT BY EMAIL

Date:
02-JUN-2015



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|----------------|------------|
| 322228 | 74-C-0858 | 001 | Jessica Linson | 01-JUN-15 |

| Count | Scientific Name | Common Name |
|---------------|-------------------------|---------------|
| 000016 | <i>Capra hircus</i> | DOMESTIC GOAT |
| 000003 | <i>Dama dama</i> | FALLOW DEER |
| 000002 | <i>Lama pacos</i> | ALPACA |
| 000002 | <i>Osphranter rufus</i> | RED KANGAROO |
| 000023 | Total | |