



Inspection Report

Tower Hill Stables
12n254 Tower Rd
Hampshire, IL 60102

Customer ID: **35147**
Certificate: **33-C-0355**
Site: 001
TOWER HILL STABLES

Type: ROUTINE INSPECTION
Date: 11-AUG-2015

3.55

WATERING.

Excessive green material is present inside of the water bottle in the enclosure containing the black rabbit. Contaminated drinking water could potentially cause the animals to become ill.

Replace or sanitize the affected bottle to provide the health and well-being of the animals.

To be corrected: 8-13-15

3.56(a)

SANITATION.

Excessive amounts of feces are present in the litter box and left corner of the enclosure containing the black rabbit. Feces can harbor diseases that affect animals.

Clean and sanitize the rabbit enclosure to provide for the health and well-being of the animals.

To be corrected: 8-13-15

The inspection exit briefing was conducted with the facility manager.

Prepared By: CHAD MOORE, A C I USDA, APHIS, Animal Care

Date:
11-AUG-2015

Title: ANIMAL CARE INSPECTOR 1046

Received by Title: MANAGER

Date:
11-AUG-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
35147	33-C-0355	001	TOWER HILL STABLES	11-AUG-15

Count	Scientific Name	Common Name
000025	<i>Capra hircus</i>	DOMESTIC GOAT
000003	<i>Lama glama</i>	LLAMA
000021	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000004	<i>Sylvilagus floridanus</i>	EASTERN COTTONTAIL RABBIT
000053	Total	