



## Inspection Report

Indianapolis Zoological Society Inc  
1200 W Washington Street  
Indianapolis, IN 46222

Customer ID: 2394

Certificate: 32-C-0001

Site: 001

INDIANAPOLIS ZOOLOGICAL SOCIETY INC

Type: ROUTINE INSPECTION

Date: 08-SEP-2015

### 3.125(a)

#### FACILITIES, GENERAL.

On Sunday September 6, 2015 at 9:35am a guest reported seeing a cheetah escape the outdoor exhibit area by climbing over the 9' 4" wall of the enclosure. This was a 4 year old, recently acquired, male cheetah. The incident command system was activated and the cheetah was located in a landscaped area next to the wall, sedated, and contained. No animals or people sustained any injuries. The cheetahs remain in indoor housing until the outdoor exhibit is modified to prevent recurrence. Animal escape may lead to injuries, even death. The facility must be constructed as appropriate to protect the animals from injury and to contain the animals.

Correct by: Immediate

This was a focused inspection regarding the cheetah escape only.

Exit interview conducted with the Supervising Vice President of Conservation, Science, & Education.

Prepared By: KERRY MCHENRY, D V M USDA, APHIS, Animal Care

Date:  
08-SEP-2015

Title: VETERINARY MEDICAL OFFICER 6024

Received by Title: SUPERVISING VICE PRESIDENT

Date:  
08-SEP-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2394	32-C-0001	001	INDIANAPOLIS ZOOLOGICAL SOCIETY INC	08-SEP-15

Count	Scientific Name	Common Name
000001	<i>Acinonyx jubatus</i>	CHEETAH
<b>000001</b>	<b>Total</b>	