



## Inspection Report

---

Three Star Farm & Fruitstand LLC  
15515 SW 177th Ave  
Miami, FL 33187

Customer ID: **6011301**

Certificate: **58-C-1251**

Site: 001

Three Star Farm & Fruitstand LLC

Type: ROUTINE INSPECTION

Date: 11-JAN-2023

---

### 2.40(b)(2) Direct

#### Attending veterinarian and adequate veterinary care (dealers and exhibitors).

Ten of 18 guinea pigs housed together in an above-ground enclosure were observed with multiple hairless skin lesions/areas. The facility representative informed that all animals in the enclosure were recently acquired by a donation from a local patron; apparently the affected areas were not noticeable at arrival. Both inspectors assessed the affected animals' condition, concluding that immediate medical attention was needed. The facility representative stated their attending veterinarian (AV) was visiting the facility the next day, and the animals would be seen by the AV. To ensure adequate veterinary care for all guinea pigs, the AV needs to examine, diagnose and treat as appropriate to alleviate the ongoing medical condition and/or discomfort on the affected animals.

Correct by: Immediately

### 3.52(a) Direct

#### Facilities, outdoor.

Three enclosures containing three adult female rabbits with their respective kits/bunnies (13 total) were observed having inappropriate shading, which was causing visible overheating and discomfort on the animals. The plastic shading cloth was damaged and not protecting all animals from direct sunlight. When sunlight is likely to cause overheating or

---

Prepared By: MARIO MERCADO

USDA, APHIS, Animal Care

Date:

27-JAN-2023

Title: VETERINARY MEDICAL  
OFFICER

Received by Title: Facility Representative

Date:

27-JAN-2023



## Inspection Report

---

discomfort, sufficient and effective shade shall be provided to allow all rabbits to protect themselves from the direct rays of the sun. The shading cloth needs to be replaced or fixed as soon as possible.

Correct by: Facility personnel started fixing/replacing damaged shading at the time of inspection.

### 3.53(a)(1)

#### Primary enclosures.

Five rabbit enclosures housing 24 animals were observed having several sharp/pointy metal wires around areas of the attached feeders, waterers, and nesting boxes. Primary enclosures for rabbits must be structurally sound and always maintained in good repair to protect the animals from injury. All sharp/pointy metal wires in the affected enclosures must be replaced/fixed as soon as possible.

Correct by: January 18, 2023

This inspection and exit interview were conducted with two facility representatives.

Additional Inspectors:

Colette Kirk El-Amin, VETERINARY MEDICAL OFFICER

---

**Prepared By:** MARIO MERCADO

USDA, APHIS, Animal Care

**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**

27-JAN-2023

**Received by Title:** Facility Representative

**Date:**

27-JAN-2023



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6011301	58-C-1251	001	Three Star Farm & Fruitstand LLC	11-JAN-2023

Count	Scientific Name	Common Name
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000003	<i>Bos primigenius indicus</i>	ZEBU
000046	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000003	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000001	<i>Potos flavus</i>	KINKAJOU
000003	<i>Equus asinus asinus</i>	DONKEY / BURRO / ASS
000004	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Lama pacos</i>	ALPACA
000021	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000084	<b>Total</b>	