



Inspection Report

Stony Brook University
Bst, Level 1 Room 223 Div Of Lab Animal Rsrc
Stony Brook, NY 11794

Customer ID: 298
Certificate: 21-R-0039
Site: 001

DIV. OF LAB ANIMAL RESOURCES

Type: ROUTINE INSPECTION
Date: 16-APR-2014

2.33(b)(5)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.

Item Veterinary Care 2.33 b 5

At the time of inspection it was noticed that a swine had been left unattended in his cage following anesthesia. This was brought to the attention of the attending vet and he assigned a vet tech to watch the animal until recovered. Facility needs to insure that post operative procedures for monitoring are reviewed to insure the safety and well being of the animal.

Correct from this day 4/16/14

3.6(a)(1)

PRIMARY ENCLOSURES.

Item Primary Enclosures 3.6 a 1

At the time of inspection the facility had erected temporary cages for dogs, the sides of the cages were not aligned properly resulting in wide spaces and gaps in which a dog could get himself caught. In addition because of the height of the dogs in relation to the height of the cages the facility had placed tops on the cages but were not completely secured and could be moved if the dog jumped or stood on its hind legs. Such an incident occurred a few weeks ago when a dog was able to protrude through the spaces.

Facility needs to insure that all primary enclosures are safe and structurally sound to protect the animals.

Correct from this day 4/16/14

3.11(a)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Item Cleaning 3.11 a

At the time of inspection canine kennels were reviewed and it was noticed a buildup of dirt and grime along the side panel of the cages and along the top of the cages indicating the cages had not been properly cleaned.

Facility needs to insure husbandry staff properly clean all surfaces of cages to prevent a build up of excessive waste.

Prepared By: JOHN LOPINTO, D V M USDA, APHIS, Animal Care

Date:
16-APR-2014

Title: VETERINARY MEDICAL OFFICER 1008

Received by Title: DIRECTOR DLAR

Date:
16-APR-2014



Inspection Report

Correct from this day 4/16/14

3.28(a)(1)

PRIMARY ENCLOSURES.

Item Primary Enclosures 3.28 a 1

At the time of inspection it was noted that electrical ties used to hold water bottles had long extensions which could harm the animals

Facility needs to trim the extension so as not to injure the animals and to insure primary enclosures are maintained in good repair.

Correct by close of business 4/16/14

An exit interview took place at the end of inspection

Prepared By: JOHN LOPINTO, D V M USDA, APHIS, Animal Care

Date:
16-APR-2014

Title: VETERINARY MEDICAL OFFICER 1008

Received by Title: DIRECTOR DLAR

Date:
16-APR-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
298	21-R-0039	001	DIV. OF LAB ANIMAL RESOURCES	16-APR-14

Count	Scientific Name	Common Name
000016	<i>Canis lupus familiaris</i>	DOG ADULT
000003	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000012	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000002	<i>Pan troglodytes</i>	CHIMPANZEE
000012	<i>Sus domestica</i>	DOMESTIC PIG
000045	Total	