



Inspection Report

Temple of Isis
20889 Geyserville Avenue
Geyserville, CA 95441

Customer ID: **328120**

Certificate:

Site: 001

Temple of Isis

Type: RE-LICENSE INSPECTION

Date: 08-JUN-2023

2.40(a)(1)

Attending veterinarian and adequate veterinary care (dealers and exhibitors).

At time of inspection, the facility did not have documentation of meeting the requirement for regularly scheduled visits to the premises by the attending veterinarian (AV) in accordance with their Program of Veterinary Care - every 6 months. The felines had been taken in to the clinic in February of this year, but the AV has not been out to the facility. The formal arrangement with an attending or consulting veterinarian shall include regularly scheduled visits to the premises, in addition to the written program of veterinary care.

Correct before the next scheduled Re-License inspection.

3.125(a)

Facilities, general.

In the goat enclosure, the 4x2 wire had been pushed down by the goats climbing on it and had curled up at the bottom. At the top, welded wire had been added with exposed sharp points, that protrude several inches, and are sharp, and exposed. The curled up wire and the sharp points could result in injuries to the goats. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals. These defects should be repaired in order to protect the animals from potential injury.

Correct before the next scheduled Re-License inspection.

3.130

Watering.

The water troughs for the goats and the alpacas contained an overgrowth of algae, and therefore were no longer clean and sanitary. According to the facility, they were cleaned last week. Access to sufficient potable water is required to maintain the health and well-being of animals. A system of maintenance of the cleanliness of water receptacles and provision of adequate potable water is required to maintain the health and well-being of the animals.

Correct before the next scheduled Re-License inspection.

Prepared By: KATHARINE FRANK

USDA, APHIS, Animal Care

Date:

08-JUN-2023

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Employee

Date:

08-JUN-2023



Inspection Report

3.131(d)

Sanitation.

Around the feline enclosures, there was an abundance of flies. While none of the felines were impacted, flies can transmit disease and can be irritating to the animals. The licensee must establish and maintain an effective method of pest control.

Correct before the next scheduled Re-License inspection.

This is a 1st Re-License Inspection for a Class "C" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspections or by 6 August, 2023 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

Prepared By: KATHARINE FRANK
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
08-JUN-2023

Received by Title: Employee

Date:
08-JUN-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
328120		001	Temple of Isis	08-JUN-2023

Count	Scientific Name	Common Name
000006	<i>Capra hircus</i>	DOMESTIC GOAT
000003	<i>Leptailurus serval</i>	SERVAL
000002	<i>Lama pacos</i>	ALPACA
000001	<i>Felis chaus</i>	JUNGLE CAT
000012	Total	