



Inspection Report

Amaizeing Farm Events L L C
6728 C R 3 1/4
Erie, CO 80516

Customer ID: **323065**

Certificate: **84-C-0120**

Site: 001

Amaizeing Farm Events, L L C

Type: ROUTINE INSPECTION

Date: 08-JAN-2018

3.130 REPEAT

WATERING.

***In an enclosure containing nineteen goats and two alpacas, there was an excessive buildup of green debris covering all interior surfaces of the water receptacle. Additionally, the water was contaminated with bird droppings. There is no alternate water source in the enclosure.

Animals must be provided with clean, potable water to minimize disease hazards and to ensure that they maintain adequate hydration. Water receptacles must be maintained in a clean and sanitary condition. They must be cleaned at a frequency that is adequate to maintain standard husbandry practices.

This inspection and exit interview were conducted with facility representatives.

Prepared By: ENGEL D.V.M DOMINIQUE, D V M USDA, APHIS, Animal Care

Date:
08-JAN-2018

Title: HPA GOV USER 6113

Received by Title: OPERATIONS MANAGER

Date:
08-JAN-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
323065	84-C-0120	001	Amaizeing Farm Events, L L C	08-JAN-18

Count	Scientific Name	Common Name
000021	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Lama pacos</i>	ALPACA
000023	Total	