



Inspection Report

William Rogers Jr
1739 Dripping Springs Rd
Seymour, TN 37865

Customer ID: **39327**
Certificate: **63-A-0168**
Site: 001
ROGERS RABBITRY

Type: ROUTINE INSPECTION
Date: 02-JUL-2014

3.53(c)(2)

PRIMARY ENCLOSURES.

There are several rabbit cages that do not meet the space requirements for the weaned rabbits. The cages have 4 to 10 weaned rabbits in each rabbit cage. The rabbits weight less than 4.4 lbs. each and the the cages measure 24in x 30in with a total of 5 square feet. The cages should only have 3 or less rabbits in each cage. It is important for the health and the well being of the rabbits to be able to have adeqate space to make normal postural movements. Correct by July 6,2014.

3.56(c)

SANITATION.

There are 2 walls that the owner has used white board type material next to the rabbit cages. The white board material has a brown build up of excreta and urine. Premises should be kept clean and in good repair in order to ensure the health and the well being of the animals. Replace or clean. July 25,2014.

An exit briefing was conducted with owner.

Prepared By: KATHERINE WILEY, A C I USDA, APHIS, Animal Care

Date:
02-JUL-2014

Title: ANIMAL CARE INSPECTOR 6038

Received by Title: OWNER

Date:
02-JUL-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
39327	63-A-0168	001	ROGERS RABBITRY	02-JUL-14

Count	Scientific Name	Common Name
000342	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000342	Total	