



Inspection Report

Stephen G Lantz
305 Iona Drive
Lebanon, PA 17042

Customer ID: **321760**
Certificate: **23-A-0584**
Site: 001
STEPHEN LANTZ

Type: ROUTINE INSPECTION
Date: 05-JUL-2016

2.40(b)(1)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The carbon dioxide tank used for the euthanasia of guinea pigs has a pressure reducing regulator, but there is currently no flow meter. The 2013 edition of the AVMA Guidelines for the Euthanasia of Animals states that an appropriate pressure regulator and flow meter or equivalent with demonstrated capability for generating the recommended displacement rates for the size container being utilized is necessary for the humane application of CO₂. A flow meter needs to be added to the CO₂ tank and pressure reducing regulator to ensure the animals are appropriately euthanized following the AVMA Guidelines. Correct by providing a flow meter to the CO₂ tank to monitor the rate of flow for euthanasia. Correct by August 1, 2016.

3.31(a)(1)

SANITATION.

The cleaning program utilized is not adequate in removing the heavy buildup of brown roughened scale and debris from the sides and floor of enclosures. Facility personnel were removing old bedding and debris from enclosures and adding fresh bedding during this inspection without removing the brown scale and debris from the sides and floor of enclosures. Ineffective cleaning and/or infrequent sanitization exposes the animals to disease hazards. Correct by ensuring that all primary enclosures are cleaned and sanitized often enough to prevent an accumulation of excreta and debris. Additionally, ensure that the primary enclosures are sanitized at least once every 2 weeks. Correct by July 8, 2016.

An exit briefing was conducted with the owner.

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:
05-JUL-2016

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
05-JUL-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
321760	23-A-0584	001	STEPHEN LANTZ	05-JUL-16

Count	Scientific Name	Common Name
000674	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000674	Total	