



## Inspection Report

Moses Fisher  
3189 West Winter Rd  
Loganton, PA 17747

Customer ID: **328483**  
Certificate: **23-A-0632**  
Site: 001  
MOSES FISHER

Type: ROUTINE INSPECTION  
Date: 29-JAN-2020

### 3.25(c)

#### FACILITIES, GENERAL.

On today's inspection, the hay for being fed to the guinea pigs was observed stored directly on the floor. Feed/food that is stored inappropriately can result in deterioration of the food or be contaminated by pests, mold, or other sources and if used, cause illness in the animals. Supplies of food and bedding must be stored in facilities which adequately protect such supplies against spoilage or deterioration and infestation or contamination by vermin.  
Correct by: February 5, 2020

### 3.26(b) DIRECT REPEAT

#### FACILITIES, INDOOR.

Upon entering the building housing the guinea pigs, there was a strong ammonia odor causing the inspector's eyes and nose to burn. This was a result of soiled enclosures in need of more frequent cleaning and the vents being kept only partially opened. When the facility representative opened the vents further and opened the door the odor dissipated. Failure to provide fresh air can expose the guinea pigs to potential disease hazards. The indoor housing facilities must be ventilated to minimize odors and ensure the health of the animals.

Remains uncorrected.

### 3.28(a)(1)

#### PRIMARY ENCLOSURES.

In several of the guinea pig pens, the wooden sides of the enclosure are chewed, worn down, and have exposed unsealed wood. There are also several pens that have chewed and exposed wood around the opening for the automatic watering system. Additionally, all of the pens have a thin piece of wood attached to the tops of the walls to increase wall height. This wood is not sealed or painted and therefore is not impervious to moisture. Chewed, exposed wood or unsealed wood that is not impervious to moisture can be difficult to clean and sanitize

Prepared By: RADZAI CHRISTINA, D V M USDA, APHIS, Animal Care

Date:  
29-JAN-2020

Title: VETERINARY MEDICAL OFFICER 6138

Received by Title: FACILITY REPRESENTATIVE

Date:  
29-JAN-2020



## Inspection Report

---

and can increase the spread of disease through improper sanitation.

Enclosures for guinea pigs must be kept structurally sound, maintained so that they are impervious to moisture, can be readily cleaned and sanitized, and won't absorb moisture or odors.

Correct by: February 19, 2020

### 3.31(a)(1) REPEAT

#### SANITATION.

Many enclosures in this facility require additional cleaning. Approximately half of the enclosures have an accumulation of dirt and debris especially in the corners and excessive build-up of fecal material.

The accumulation of feces and unclean enclosures can cause unpleasant odors, lead to contamination of the enclosure, and attract pests and vermin that carry diseases that result in risks to the health of the animals.

The licensee must thoroughly clean all primary enclosures often enough to prevent an accumulation of excreta and debris.

Remains uncorrected.

This inspection and exit interview were conducted with the facility representative.

---

Prepared By: RADZAI CHRISTINA, D V M USDA, APHIS, Animal Care

Date:  
29-JAN-2020

Title: VETERINARY MEDICAL OFFICER 6138

Received by Title: FACILITY REPRESENTATIVE

Date:  
29-JAN-2020



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
328483	23-A-0632	001	MOSES FISHER	29-JAN-20

Count	Scientific Name	Common Name
000689	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
<b>000689</b>	<b>Total</b>	