



Inspection Report

The Center for Wildlife
PO Box 620
Cape Neddick, ME 03902

Customer ID: **323206**
Certificate: **11-C-0020**
Site: 001
The Center for Wildlife

Type: ROUTINE INSPECTION
Date: 09-DEC-2024

3.153(a)(1)(ii)

Primary enclosures.

The broadwing hawk was provided with a heated perch with a dangling unprotected electric cord. Electrical cords may become shredded by curious animals, and then be a shock or entanglement hazard. The facility must ensure that electrical cords are not a hazard to the bird.

Correct by December 11, 2024.

3.153(a)(1)(vi)

Primary enclosures.

The red tail hawk enclosure does not have any wind sheltered perching sites available. Optional use of protected perching sites allow for bird choice, which decreases stress, and ensures that the bird is protected from environmental conditions that may be detrimental to welfare. The facility must ensure that an area for wind sheltered perching is available.

Correct by December 13, 2024.

This inspection and exit interview were conducted with the facility representative.

Prepared By: SARA TOBIAS
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
10-DEC-2024

Received by Title: Facility Representative

Date:
10-DEC-2024



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
323206	11-C-0020	001	The Center for Wildlife	09-DEC-2024

Count	Scientific Name	Common Name
000001	<i>Cathartes aura</i>	TURKEY VULTURE
000002	<i>Falco peregrinus</i>	PEREGRINE FALCON
000002	<i>Strix varia</i>	BARRED OWL
000002	<i>Bubo virginianus</i>	GREAT HORNED OWL
000001	<i>Buteo jamaicensis</i>	RED-TAILED HAWK
000001	<i>Falco columbarius</i>	MERLIN
000001	<i>Megascops asio</i>	EASTERN SCREECH-OWL
000001	<i>Buteo platypterus</i>	BROAD-WINGED HAWK
000002	<i>Eptesicus fuscus</i>	BIG BROWN BAT
000001	<i>Erethizon dorsatum</i>	NORTH AMERICAN PORCUPINE
000001	<i>Falco sparverius</i>	AMERICAN KESTREL
000001	<i>Didelphis virginiana</i>	VIRGINIA OPOSSUM
000001	<i>Aegolius acadicus</i>	NORTHERN SAW-WHET OWL
000017	Total	