



Inspection Report

Southern Ca Of Seventh Day Adventist
Po Box 1134
Angelus Oaks, CA 92305

Customer ID: **44415**
Certificate: **93-C-0938**
Site: 001
CAMP CEDAR FALLS

Type: ROUTINE INSPECTION
Date: 09-SEP-2014

2.40(a)(1)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The written Program of Veterinary Care (PVC) on file states that the attending veterinarian (AV) will visit the facility at least annually. There are no records available that show the AV has been to the facility in the past year. Without documentation we cannot be certain the program is being followed as written. A system should be in place to ensure the AV visits the facility at least once a year to ensure the health and well-being of the animals.

To be corrected by 10-10-2014

3.125(a)

FACILITIES, GENERAL.

There was a portion of the rock wall, which makes up the sides of the back off-exhibit area/den, where the wall did not meet the ceiling. As a result, there were gaps present approximately 10 inches long X 3 inches wide. During the inspection, the Camp Manager placed two lines of caution tape around the perimeter of the off-exhibit area/den as a temporary fix until the permanent fencing could be in place. Outdoor housing facilities should be structurally sound and maintained in good repair to protect the animals from injury.

To be corrected 10/10/14

3.127(d)

FACILITIES, OUTDOOR.

The bear enclosure has a covered top and is enclosed by an approximately 10 ft. perimeter fence. A section of the perimeter fence, approximately 7.5 ft., is 6 ft. in height and does not meet our required requirement of 8 ft. In addition, this portion of the perimeter fence is made up of vertical bars, approximately 4 inches apart. The space is wide enough to allow unauthorized animals to enter the animal area. Outdoor bear enclosures must be enclosed

Prepared By: STEVE DRLICA, D V M USDA, APHIS, Animal Care

Date:
15-SEP-2014

Title: VETERINARY MEDICAL OFFICER 5004

Received by Title: DIRECTOR EMAIL

Date:
15-SEP-2014



Inspection Report

by a perimeter fence at least 8 ft in height and constructed in a manner that prevents the unauthorized entry of animals and people.

To be corrected by 10/10/14

3.131(d)

SANITATION.

The concrete floor under the bear's enclosure has numerous rodent diggings/ burrowing under the edge of the slab. Although the facility representative stated that the facility takes measures to reduce the rodent population, it does not appear to be effective. The presence of rodents in animal areas may increase disease hazards. A safe and effective program to control mammalian pests should be established and maintained to ensure the health and well-being of the bears.

To be corrected by 10/10/14

An exit briefing was conducted with the facility representative

Additional Inspectors

Andricos Alexandra, Veterinary Medical Officer

Prepared By: STEVE DRLICA, D V M USDA, APHIS, Animal Care

Date:
15-SEP-2014

Title: VETERINARY MEDICAL OFFICER 5004

Received by Title: DIRECTOR EMAIL

Date:
15-SEP-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
44415	93-C-0938	001	CAMP CEDAR FALLS	09-SEP-14

Count	Scientific Name	Common Name
000001	<i>Ursus americanus</i>	NORTH AMERICAN BLACK BEAR
000001	<i>Ursus arctos</i>	BROWN BEAR
000002	Total	