

United States Department of Agriculture Animal and Plant Health Inspection Service

SDIAZMARTINE Z INS-0000911169

Inspection Report

Cyndi Cornwell Customer ID: 44533

3880 McNeil Road Certificate:
Boaz, KY 42027

Site: 001

CYNDI CORNWELL

Type: RE-LICENSE INSPECTION

Date: 06-DEC-2023

3.127(d)

Facilities, outdoor.

The primary enclosures that house three zebu, one cavy, one wallaby, one camel, and one water buffalo are not contained within an 6ft tall perimeter fence. The perimeter fence height can lead to unnecessary animal escapes and contact between humans and other animals with the animals contained at the facility that could lead to injury or disease. All outdoor housing facilities must be enclosed by a perimeter fence that is of sufficient height to keep animals and unauthorized persons out. Correct by maintaining a perimeter fence around the enclosures that is at least 6 feet tall and 3 feet away from the primary enclosures. Fences less than 6 feet high for other animals must be approved in writing by the Administrator. The fence must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility, and so that it can function as a secondary containment system for the animals in the facility.

This is a 1st Re-License Inspection for a Class "C" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspections or by February 4, 2024 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

Prepared By:SHEYDANIS DIAZMARTINEZDate:USDA, APHIS, Animal Care08-DEC-2023

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Applicant Date:

08-DEC-2023



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 44533

Inspection Date: 06-Dec-2023

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
44533		001	CYNDI CORNWELL	06-DEC-2023