



Inspection Report

3M COMPANY
3M CENTER
BUILDING 270-1S-05
SAINT PAUL, MN 55144

Customer ID: **561**
Certificate: **41-R-0008**
Site: 001
3M-LABORATORY ANIMAL
RESEARCH

Type: ROUTINE INSPECTION
Date: 27-FEB-2023

2.31(e)(2)

Institutional Animal Care and Use Committee (IACUC).

Protocols 2022-0005 using 20 pigs and 2023-0001 using 30 rabbits did not include or contain a sufficient rationale for number of animal numbers to be used. The Principal Investigator proposing animal activity must provide a rationale for the number of animals to be used for IACUC review and approval. By not providing a rationale, an unnecessary amount of animals may be used for covered activities. Ensure Principle Investigators include a sufficient rationale for the number of animals to be used in a covered activity as required. Note: No animals have been used for either study at the time of inspection. Correct by 13 March 2023.

This inspection and exit interview were conducted with IACUC Administrator and Facility Representative.

End of report.

Prepared By: DEBRA SIME
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
27-FEB-2023

Received by Title: Facility Representative

Date:
27-FEB-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
561	41-R-0008	001	3M-LABORATORY ANIMAL RESEARCH	27-FEB-2023

Count	Scientific Name	Common Name
000000	NONE	NONE
000000	Total	