



Inspection Report

Sherrie Ivie
5605 W. Higley Lane
Grantsville, UT 84029

Customer ID: **332743**
Certificate: **87-C-0061**
Site: 001
SHERRIE IVIE

Type: ROUTINE INSPECTION
Date: 22-JUN-2023

3.125(a) Critical Repeat

Facilities, general.

On May 13th, 2023, a juvenile male zebra jumped over the fence into the adjoining kangaroo enclosure and kicked the kangaroo, causing severe head trauma. After examination, the kangaroo was humanely euthanized by the attending veterinarian. The chain link fence between the zebra and kangaroo pen had been reinforced with a fence panel with a solid bar across the top by the time of inspection.

The fence containing a juvenile dromedary camel was composed of welded wire cattle panels and was observed to be bent over along the entire east side where the camel had been reaching to graze on weeds outside of the pen. The height of the fence was reduced, and the bent welded wire could result in injury to the camel.

The bottom rail along the west edge of the fenced enclosure containing 3 adult camels (2 dromedary and 1 Bactrian) was broken and not attached to the fence poles. This could lead to entrapment of a camel causing injury or death.

A male red fox escaped his enclosure and was not recovered in October 2022. It was not apparent where or how the animal escaped. This enclosure is no longer being used to house animals.

All enclosures or facilities must be constructed of such material and of such strength as appropriate for the animals involved. Facilities must be structurally sound, free from sharp, protruding points or edges, and must be maintained in good repair to protect the animals from injury and to properly contain them. A system of timely identification, maintenance, and repair of facilities must be in place to ensure the health and well-being of all animals.

3.130 Repeat

Watering.

The water tubs for 4 foxes, 1 porcupine, 2 cows, 1 zebu and 2 capybaras were dirty and crusted along sides and bottom of the tubs and contained large amounts of floating debris, fecal material, and insects. Contaminated water can be unpalatable and unhealthy for the animals. All water containers must be kept clean and sanitary.

This inspection and exit interview were conducted with facility representative.

Prepared By: ANN GOPLEN
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
27-JUN-2023

Received by Title: Licensee

Date:
27-JUN-2023



Inspection Report

Prepared By: ANN GOPLEN

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
27-JUN-2023

Received by Title: Licensee

Date:
27-JUN-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332743	87-C-0061	001	SHERRIE IVIE	22-JUN-2023

Count	Scientific Name	Common Name
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000026	<i>Capra hircus</i>	DOMESTIC GOAT
000014	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000014	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000018	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000004	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000002	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000004	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000001	<i>Camelus bactrianus</i>	BACTRIAN CAMEL
000003	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000002	<i>Muntiacus muntjak</i>	INDIAN MUNTJAC
000002	<i>Lama glama</i>	LLAMA
000004	<i>Lama pacos</i>	ALPACA
000002	<i>Notamacropus rufogriseus</i>	BENNETT'S WALLABY / RED-NECKED WALLABY
000002	<i>Osphranter rufus</i>	RED KANGAROO
000001	<i>Dama dama</i>	FALLOW DEER
000002	<i>Procyon lotor</i>	RACCOON
000001	<i>Bos primigenius indicus</i>	ZEBU
000001	<i>Potos flavus</i>	KINKAJOU
000006	<i>Nasua nasua</i>	SOUTH AMERICAN COATI
000001	<i>Equus grevyi</i>	GREVY'S ZEBRA
000001	<i>Erethizon dorsatum</i>	NORTH AMERICAN PORCUPINE
000113	Total	