



Inspection Report

Karl Brantley
26214 Pollard Rd
Daphne, AL 36526

Customer ID: **15456**
Certificate: **64-C-0156**
Site: 001
BRANTLEY FARMS

Type: ROUTINE INSPECTION
Date: 07-OCT-2015

3.50(a)

FACILITIES, GENERAL.

** During the inspection it was noticed that the white and black rabbits primary enclosure door was open. The rabbit could have jumped out of the enclosure and injured itself. Outdoor housing facilities for rabbits shall be maintained to protect the animals from injury, to contain the animals, and to restrict the entrance of other animals. It was corrected immediately.

3.53(a)(2)

PRIMARY ENCLOSURES.

** Due to the extensive rusting of the rabbits' cages they are unable to keep their paws clean. The enclosure shall be maintained in good repair to allow the animals to stay clean. Correct by October 21, 2015.

3.125(a) REPEAT

FACILITIES, GENERAL.

** The fencing containing 2 llamas has two big holes on the south side of the enclosure. The fence needs to be repaired and/or replace to properly contain the animals and prevent injury.

** The primary enclosure for the goats has several areas with pointy ends of wire protruding from the fence on the east side. There is also a strand of barbed wire on the north side of the fence trailing the ground that the animals can come in contact with and injure themselves. The barbed wire and protruding ends of the fencing need to be removed to ensure the safety of the animals.

** In the primary enclosure containing the goats there were several strands of hay bale twine. The twine should be removed to prevent the animals from possible ingestion or becoming entangled in it.

** On the east side of the fencing there were two down planks of wood and one had a nail head protruding from the end of it. This should be removed to prevent injury of the animals,

Prepared By: ANNETTE CHAPMAN, D V M USDA, APHIS, Animal Care

Date:
07-OCT-2015

Title: VETERINARY MEDICAL OFFICER 6048

Received by Title: AUTHORIZED PERSON

Date:
07-OCT-2015



Inspection Report

3.130

WATERING.

** The water in the goats primary enclosure was murky and dirty. The receptacle also needs to be cleaned. If potable water is not accessible to the animals at all times, it must be provided as often as necessary for the health and comfort of the animals. All water receptacles shall be kept clean and sanitary. Correct by October 10, 2015

3.131(d)

SANITATION.

** Outside of the 2 rabbits enclosure there was a stray rabbit. The authorized person stated that it did not belong to the facility. Any unwanted animals on the premises that could possibly carry disease and/or cause illness to the facilities animals is a pest. A safe and effective program for the control of mammalian pests shall be established and maintained prevent the spread of illness to the facilities animals. Correct by October 21, 2015

The inspection and exit interview was conducted with the authorized person.

Prepared By: ANNETTE CHAPMAN, D V M USDA, APHIS, Animal Care

Date:
07-OCT-2015

Title: VETERINARY MEDICAL OFFICER 6048

Received by Title: AUTHORIZED PERSON

Date:
07-OCT-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
15456	64-C-0156	001	BRANTLEY FARMS	07-OCT-15

Count	Scientific Name	Common Name
000006	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Lama glama</i>	LLAMA
000002	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000013	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000025	Total	