



Inspection Report

James E Arneberg
2462 Laurel Rd E Unit 516
Nokomis, FL 34275

Customer ID: **3175**

Certificate:

Site: TRA

James E Arneberg

Type: RE-LICENSE INSPECTION

Date: 04-OCT-2023

3.10(a)

Watering

The crates used to house the dogs overnight do not currently provide continuous access to water. The licensee stated that the dogs spill their water when bowls are left in the crates, so they offer potable water at regular intervals throughout the day.

Potable water is necessary for the health and well-being of the animal, failure to provide continuous access to potable water may lead to dehydration or discomfort of the animals.

Potable water must be continuously available to the dogs. To be corrected by the next re-license inspection.

This is a 1st Re-License Inspection for a Class "C" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspections or by December 3, 2023, or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

Prepared By: CHARLES PALMER

USDA, APHIS, Animal Care

Date:
05-OCT-2023

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:
05-OCT-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3175		TRA	James E Arneberg	04-OCT-2023

Count	Scientific Name	Common Name
000012	<i>Canis familiaris</i>	DOG ADULT
000001	<i>Felis catus</i>	CAT ADULT
000013	Total	