



## Inspection Report

City Of Roswell  
P. O. Drawer 1838  
Roswell, NM 88202

Customer ID: **3487**  
Certificate: **85-C-0005**  
Site: 001  
CITY OF ROSWELL

Type: ROUTINE INSPECTION  
Date: 13-DEC-2016

### 3.84(d)

#### CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

At the time of inspection, rodent fecal material was noted on the concrete flooring inside the lemur building. One small hole leading directly to the exterior of the building was noted at the junction of two interior walls and appears to have been created by rodents. The lemur primary enclosure had pieces of wall insulation, banana peels, and rodent feces on the concrete floor underneath the animal food bowl. There were no snap traps or sticky boards in use at the time of the inspection. Rodent feces may contaminate food and contribute to the spread of disease. A safe and effective program for the control of rodent pests must be established and maintained in order to promote the health and well-being of the three lemurs housed in this enclosure. To be corrected by: January 27, 2017.

### 3.85

#### EMPLOYEES.

Facilities with nonhuman primates must have enough employees to carry out the level of husbandry and care as described in the Animal Welfare regulations. At the time of inspection, there was an insufficient number of trained zoo keepers with the knowledge, background, and experience in proper husbandry and care of nonhuman primates. Insufficient staffing is a concern because it affects animal safety and well-being. A sufficient number of adequately trained employees shall be utilized to maintain animal facilities in a timely fashion. To be corrected by: February 17, 2017.

### 3.125(a) REPEAT

#### FACILITIES, GENERAL.

There is an area approximately 15 feet in width, varying in height from 6 to 12 inches, on a wall inside the bear outdoor exhibit area, where the top "stucco-like" coating is missing and the underlying concrete is exposed. This area of exposed concrete is about 2 1/2 feet above floor level in the bear enclosure. Pieces of the thin "stucco-like" surface coating may fall into the animal enclosure and could potentially be ingested by the bears. The area of damaged wall inside this bear enclosure must be repaired in order to avoid accidental ingestion by the two animals housed in this exhibit. This is a repeat non-compliant item from the July 21, 2016 inspection.

There are multiple layers of animal barrier fencing at the narrow end of the beaver outdoor exhibit water feature.

Prepared By: JEANNE KJOS, D V M USDA, APHIS, Animal Care

Date:  
15-DEC-2016

Title: VETERINARY MEDICAL OFFICER 4013

Received by Title: SENT VIA EMAIL

Date:  
15-DEC-2016



## Inspection Report

---

There are gaps of approximately 4 inches between the various layers of animal barrier fencing where the beaver may become accidentally trapped or injured. This section of barrier fencing must be repaired or replaced in order to prevent possible animal injury. To be corrected by: January 27, 2017.

There is a vertical gap of approximately 8 inches in the wooden fencing next to the grey fox exhibit near the sidewalk which leads to the public parking area. There is also a gate in this section of fencing that is very loose and is no longer attached to the post. All fencing must be constructed so that it protects the animals in the facility by functioning as a secondary containment system for the animals and to prevent unauthorized persons from going through it and having contact with the animals in the facility. This section of outdoor fencing must be repaired or replaced in order to protect the animals from injury and to contain the animals. To be corrected by: February 17, 2017.

This inspection and exit briefing were conducted with facility representatives.

---

**Prepared By:** JEANNE KJOS, D V M      USDA, APHIS, Animal Care

**Date:**  
15-DEC-2016

**Title:** VETERINARY MEDICAL OFFICER 4013

**Received by Title:** SENT VIA EMAIL

**Date:**  
15-DEC-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3487	85-C-0005	001	CITY OF ROSWELL	13-DEC-16

Count	Scientific Name	Common Name
000002	<i>Ammotragus lervia</i>	BARBARY SHEEP
000001	<i>Antilocapra americana</i>	PRONGHORN
000003	<i>Bison bison</i>	AMERICAN BISON
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000002	<i>Canis latrans</i>	COYOTE
000002	<i>Canis lupus</i>	GRAY WOLF / GREY WOLF / TIMBER WOLF
000005	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Castor canadensis</i>	AMERICAN BEAVER
000001	<i>Chinchilla brevicaudata</i>	CHINCHILLA
000080	<i>Cynomys ludovicianus</i>	BLACK-TAILED PRAIRIE DOG
000002	<i>Equus asinus asinus</i>	DONKEY / BURRO / ASS
000001	<i>Erethizon dorsatum</i>	NORTH AMERICAN PORCUPINE
000005	<i>Lama glama</i>	LLAMA
000003	<i>Lemur catta</i>	RING-TAILED LEMUR
000002	<i>Lynx rufus</i>	BOBCAT
000003	<i>Muntiacus reevesi</i>	REEVE'S MUNTJAC
000003	<i>Mustela putorius</i>	EUROPEAN POLECAT
000002	<i>Nasua nasua</i>	SOUTH AMERICAN COATI
000004	<i>Odocoileus hemionus</i>	MULE DEER
000001	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000001	<i>Procyon lotor</i>	RACCOON
000002	<i>Puma concolor</i>	PUMA / MOUNTAIN LION / COUGAR
000001	<i>Taxidea taxus</i>	AMERICAN BADGER
000003	<i>Urocyon cinereoargenteus</i>	GRAY FOX / GREY FOX
000002	<i>Ursus americanus</i>	NORTH AMERICAN BLACK BEAR
000002	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
<b>000136</b>	<b>Total</b>	