

United States Department of Agriculture Animal and Plant Health Inspection Service

CRADZAI INS-0000842710

Inspection Report

Melvin Beiler Customer ID: 502333

Certificate: 23-A-0660 286 Knarr Road JERSEY SHORE, PA 17740

Site: 001

MELVIN BEILER

Type: ROUTINE INSPECTION

Date: 27-JAN-2023

2.134(a)

Contingency planning.

There was no written contingency plan on file at the facility.

Failure to have a written contingency plan can result in lack of readiness for emergencies or disasters.

Facilities must develop, document, and follow an appropriate plan to provide for the humane handling, treatment,

transportation, housing, and care of their animals in the event of an emergency or disaster.

Correct by: March 24, 2023

3.26(d) Repeat

Facilities, indoor.

There were ten windows in the guinea pig housing facility that required framing. The unframed windows have exposed wood and insulation which is not impervious to moisture.

Surfaces that are not impervious to moisture cannot be cleaned and sanitized and may harbor pathogens that can cause disease in the guinea pigs.

The interior building surfaces of indoor housing facilities must be constructed and maintained so they are impervious to moisture and may be readily sanitized.

3.28(a)(1) Repeat

Primary enclosures.

Prepared By: CHRISTINA RADZAI Date: USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Licensee Date:

27-JAN-2023

27-JAN-2023



Received by Title: Licensee

United States Department of Agriculture Animal and Plant Health Inspection Service

CRADZAI INS-0000842710

Inspection Report

The metal self feeder in Pen 16 contained 2 sharp points on the lower lip.					
Sharp points can caus	se injury to the guinea pigs.				
Primary enclosures m	ust be maintained in good repair to	protect the guinea pigs from injury.			
This inspection and ex	kit interview were conducted with th	e licensee.			
Prepared By:	CHRISTINA RADZAI	LICDA ADIHC Agine al Como	Date:		
Title:	VETERINARY MEDICAL OFFICER	USDA, APHIS, Animal Care	27-JAN-2023		

Date:

27-JAN-2023



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 502333

Inspection Date: 27-Jan-2023

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502333	23-A-0660	001	MELVIN BEILER	27-JAN-2023

Count Scientific Name Common Name

001170 Cavia porcellus DOMESTIC GUINEA PIG

001170 **Total**